



US00D814501S

(12) **United States Design Patent** (10) **Patent No.:** **US D814,501 S**
Protzman et al. (45) **Date of Patent:** **** Apr. 3, 2018**

(54) **DISPLAY SCREEN OR PORTION THEREOF WITH GRAPHICAL USER INTERFACE**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)
(72) Inventors: **Brent Protzman**, Easton, PA (US);
Michelle L. Greene, Bethlehem, PA
(US); **Erica L. Clymer**, Northampton,
PA (US); **Jennifer Wong**, Breinigsville,
PA (US); **Stephen Lundy**, Coopersburg,
PA (US); **Samuel F. Chambers**,
Gwynedd Valley, PA (US)
(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

D297,243 S 8/1988 Wells-Papanek et al.
D393,457 S 4/1998 Nay
D415,483 S 10/1999 Decker
D553,138 S 10/2007 Vong et al.
D557,699 S 12/2007 Kim et al.
D563,973 S 3/2008 Tandog et al.
D566,127 S 4/2008 Park et al.
D580,947 S 11/2008 Onai et al.
D587,725 S 3/2009 Krieter et al.
D607,467 S 1/2010 Westermair
D614,634 S 4/2010 Nilsen
D639,819 S 6/2011 Woods et al.
D660,310 S 5/2012 Kim et al.

(Continued)

OTHER PUBLICATIONS

(**) Term: **15 Years**
(21) Appl. No.: **29/586,976**
(22) Filed: **Dec. 8, 2016**

Performance Shading Advisor, by Lutron Electronics, YouTube [online], published Apr. 21, 2016, [retrieved Nov. 2, 2017], retrieved from the Internet <URL: <https://www.youtube.com/watch?v=2ewjs7ua2qA>>.*

(Continued)

Related U.S. Application Data

(63) Continuation of application No. 29/525,146, filed on Apr. 27, 2015, now Pat. No. Des. 777,199.
(51) **LOC (11) Cl.** **14-04**
(52) **U.S. Cl.**
USPC **D14/486**
(58) **Field of Classification Search**
USPC D14/485-495; D5/20, 26, 30, 40, 63-65;
D9/607, 634, 635, 637, 652, 667;
D20/10, 11, 22-33, 39, 40
CPC .. G06F 3/048-3/04897; G06F 17/3005; G06F
17/30126; G06F 15/0266; G06Q 30/0601;
G06Q 30/0641; H04N 1/00408-1/00437
See application file for complete search history.

Primary Examiner — Cathron C Brooks

Assistant Examiner — Ian F Whitmore

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw Group, LLC


(57) **CLAIM**

The ornamental design for a display screen or portion thereof with graphical user interface, as shown and described.

DESCRIPTION

The sole FIGURE shows a display screen or portion thereof with graphical user interface showing our new design. The peripheral dashed broken lines illustrate a display screen or portion thereof and form no part of the claimed design.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

D703,690 S * 4/2014 MacCubbin D14/488
 D707,245 S * 6/2014 Bruck D14/486
 8,812,947 B1 8/2014 Maoz et al.
 D722,320 S 2/2015 Lee et al.
 D735,230 S * 7/2015 Seo D14/486
 D743,993 S 11/2015 Lee et al.
 D753,155 S 4/2016 Nies et al.
 D757,070 S * 5/2016 Dziuba D14/486
 D760,261 S * 6/2016 Yu D14/486
 D761,292 S 7/2016 Wiesner
 D767,592 S * 9/2016 Zhang D14/485
 D767,614 S * 9/2016 Southgate D14/486
 D770,498 S * 11/2016 Walia D14/486
 D771,072 S 11/2016 Protzman et al.
 D771,102 S 11/2016 Protzman et al.
 D777,199 S * 1/2017 Protzman D14/485
 D783,040 S * 4/2017 Wingate-Whyte D14/486
 D786,905 S * 5/2017 Jain D14/486



D800,759 S * 10/2017 Perekoty D14/486
 2012/0158531 A1 6/2012 Dion et al.
 2013/0232437 A1 9/2013 Kim
 2015/0286941 A1* 10/2015 Blair E06B 9/68
 706/11

OTHER PUBLICATIONS

Lutron Electronics Co., Inc., Icons from the Design Collections (Q1 2014) App, available at least as early as Dec. 7, 2016.
 Lutron Electronics Co., Inc., Icons from Quantum Vue (Q1 2014) App, available at least as early as Dec. 7, 2016.
 Lutron Electronics Co., Inc., Icons from Caseta (Q2 2014) App, available at least as early as Dec. 7, 2016.
 Lutron Electronics Co., Inc., Icons from Performance Shading Advisor (Q4 2014) App, available at least as early as Dec. 7, 2016.
 Lutron Electronics Co., Inc., Icons from Saltmarsh/ myOrders (Q4 2015-Q3 2016) App, available at least as early as Dec. 7, 2016.

* cited by examiner

E Screen - THEIA™
in Charcoal/Cocoa



Category: Spec Grade Solar Screens
Model #: SS061E1-A (CS)

Performance
★★★★★

Facade Openness Factor Recommendations
South: 1%

Add to Project Add to Samples Generate Reports

Results for Automated Shades

Metric	Performance Level
Glare Reduction	High Performing
Daylight Autonomy	Low Performing
View Preservation	High Performing

Low Performing High Performing