



US00D814573S

(12) **United States Design Patent** (10) **Patent No.:** **US D814,573 S**
Hong (45) **Date of Patent:** **** Apr. 3, 2018**

(54) **ELECTRONIC DART MACHINE** 4,586,716 A * 5/1986 Brejcha F41J 3/0042
273/376
(71) Applicant: **HONG INTERNATIONAL CORP.,** 4,635,940 A * 1/1987 Kelley F41J 5/052
Seoul (KR) 273/348.5
(72) Inventor: **Sang Uk Hong,** Seoul (KR) 4,768,789 A * 9/1988 Clark F41J 5/04
273/371
(73) Assignee: **Hong International Corp.,** Seoul (KR) 4,793,618 A * 12/1988 Tillery A63F 9/0208
273/376

(Continued)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,170**

(22) Filed: **Sep. 30, 2015**

(30) **Foreign Application Priority Data**

Jun. 12, 2015 (KR) 30-2015-0029617

(51) **LOC (11) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/308**

(58) **Field of Classification Search**

USPC D21/300, 308, 347, 363, 365, 366, 369,
D21/370, 385, 386, 387, 392, 396, 397,
D21/488, 498, 500, 503, 504, 505, 507,
D21/585, 593, 621, 649, 815, 900;
D10/46.1; D11/131-164; D14/117.2,
D14/117.4, 117.8; D99/34-42

CPC F41J 3/00; F41J 3/004; F41J 3/0009; F41J
3/0019; F41J 3/0014; F41J 3/0023; F41J
3/0028; F41J 3/0033; F41J 3/0038; F41J
3/0042; F41J 3/0047; F41J 3/0052; F41J
3/0057; F41J 3/0061; F41J 3/0066; F41J
3/0071; F41J 3/0076; F41J 3/008; F41J
3/0085; F41J 3/009; F41J 3/0095; F41J
3/02; F41J 2/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,516,781 A * 5/1985 DeVale F41J 3/0042
273/373

4,561,660 A * 12/1985 Zammuto F41J 3/0042
273/376

OTHER PUBLICATIONS

“VS Phoenix S soft tip machine” Jun. 7, 2015, dartsnutz.net, site visited Jan. 13, 2017 <<http://www.dartsnutz.net/forum/showthread.php?tid=13927>>.*

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — EIP US LLP

(57) CLAIM

The ornamental design for an electronic dart machine, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electronic dart machine configured in accordance with the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;


FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is another perspective view thereof.

The broken line showing of an electronic dart machine in FIGS. 3-7 is included for the purpose of illustrating portions of the article and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,807,887	A *	2/1989	DeVale	F41J 5/06 273/372
4,824,121	A *	4/1989	Beall	A63F 9/0208 273/376
4,881,744	A *	11/1989	Hansen	F41J 3/0028 273/376
4,974,857	A *	12/1990	Beall	F41J 3/00 273/371
5,211,405	A *	5/1993	Shelton	A47B 43/00 273/407
5,370,306	A *	12/1994	Schulze	G07F 17/3244 273/371
2003/0085524	A1 *	5/2003	Ross	F41J 3/0028 273/407
2005/0006847	A1 *	1/2005	Ross	F41J 5/22 273/374
2005/0104296	A1 *	5/2005	Yiu	F41J 3/00 273/407
2012/0299244	A1 *	11/2012	Rice	F41J 3/0028 273/407

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8