



US00D814684S

(12) **United States Design Patent** (10) **Patent No.:** **US D814,684 S**
Dyson et al. (45) **Date of Patent:** **** Apr. 3, 2018**

(54) **LIGHTING FIXTURE**

(71) Applicant: **Dyson Technology Limited**, Wiltshire (GB)

(72) Inventors: **Jacob Dyson**, London (GB); **William John Darvill**, Bristol (GB); **Alexander James Morrison**, Buckingham (GB); **Michael Graham Love**, Bristol (GB); **Paul Dominic Whittaker**, Bristol (GB); **James Malcolm Stuart Bray**, Swindon (GB); **David James Hill**, Swindon (GB)

(73) Assignee: **Dyson Technology Limited**, Malmesbury, Wiltshire (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/576,315**

(22) Filed: **Sep. 1, 2016**

(30) **Foreign Application Priority Data**

Mar. 2, 2016 (EM) 003010412-0002

(51) **LOC (11) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/89; D26/90**

(58) **Field of Classification Search**
USPC D26/72, 80, 83, 85, 88, 89, 76, 90
CPC F21S 8/03; F21S 8/04; F21S 8/043; F21S 8/06; F21S 8/061; F21S 8/063; F21V 21/008; F21V 21/02; F21V 29/2212; F21V 29/767; F21V 29/77; F21V 29/777; F21V 29/78; F21V 7/0016; F21V 7/0025; F21V 7/0033

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,350,809 A * 8/1920 Jerome F21S 13/00 362/307
2,411,952 A * 12/1946 Biller F21S 8/04 362/225

D186,129 S * 9/1959 Spaulding D26/76
D188,621 S * 8/1960 Stahlhut et al. D26/76
5,967,646 A * 10/1999 Engel F21S 8/06 362/296.03
D676,172 S * 2/2013 Podgorschek D26/71
D688,405 S * 8/2013 Kim D26/72
2003/0007348 A1 * 1/2003 Loga F21S 8/02 362/217.07
2009/0010003 A1 * 1/2009 Kirsten F21S 8/02 362/294
2009/0113813 A1 * 5/2009 Weber H02G 3/0493 52/28

(Continued)

OTHER PUBLICATIONS

Dyson Cu Beam Duo Suspended Lights brochure. Found at dyson.com visited Nov. 13, 2017. (Year: 2017).*

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Morrison & Foerster LLP

(57) **CLAIM**


We claim the ornamental design for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, from below, of a lighting fixture showing our new design;
FIG. 2 is a perspective view, from above, thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a front side view thereof;
FIG. 6 is a rear side view thereof; and,
FIG. 7 is an end view thereof.

The details shown in broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0118534	A1 *	5/2010	Lo	F21S 2/005 362/249.02
2013/0021792	A1 *	1/2013	Snell	F21S 8/06 362/218
2015/0016123	A1 *	1/2015	Musser	F21S 48/115 362/373
2015/0055353	A1 *	2/2015	Hutchens	F16M 13/02 362/370
2017/0023228	A1 *	1/2017	Dyson	F21S 8/06
2017/0159907	A1 *	6/2017	Dyson	F21V 11/186
2017/0198881	A1 *	7/2017	McCreary, Jr.	F21V 7/0016
2017/0321865	A1 *	11/2017	Parker	F21V 7/0016

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7