



US00D814749S

(12) **United States Design Patent**  
**Teichert et al.**

(10) **Patent No.:** **US D814,749 S**  
(45) **Date of Patent:** **\*\* Apr. 10, 2018**

- (54) **PROTECTIVE SPAT FOR CLEATED OR SPIKED SPORTS SHOES**
- (71) Applicant: **TNG Enterprises LLC**, Olive Branch, MS (US)
- (72) Inventors: **Joseph Albert Teichert**, Olive Branch, MS (US); **Carl Edward Langley, III**, Germantown, TN (US); **Eddie Alan Parker**, Tupelo, MS (US)
- (73) Assignee: **TNG ENTERPRISES LLC**, Ocean Springs, MS (US)
- (\*\*) Term: **14 Years**

D59,045 S	9/1921	Tweedie
D59,046 S	9/1921	Tweedie
D59,047 S	9/1921	Tweedie
D59,048 S	9/1921	Tweedie
D60,595 S	3/1922	Witherell
1,435,047 A	11/1922	Von S.S. Blum
D65,184 S	7/1924	Guinzburg
D109,836 S	5/1938	May
2,438,308 A	3/1948	Wheaton
2,441,373 A	5/1948	Rauh
D193,652 S	9/1962	Adams
3,875,687 A	4/1975	Henderson
4,166,460 A	9/1979	Applegate
4,187,844 A	2/1980	Caprio, Jr.
4,280,488 A	7/1981	Polsky et al.
D270,869 S	10/1983	Kronberg
4,440,158 A	4/1984	Shapiro

(Continued)

- (21) Appl. No.: **29/458,047**
- (22) Filed: **Jun. 14, 2013**

**Related U.S. Application Data**

- (63) Continuation of application No. 29/393,550, filed on Jun. 6, 2011, now Pat. No. Des. 691,784.
- (51) **LOC (11) Cl.** ..... **02-04**
- (52) **U.S. Cl.**  
USPC ..... **D2/909; D2/901**
- (58) **Field of Classification Search**  
USPC ..... D2/901, 902, 906, 909, 910, 914, 915, D2/986, 896; 36/7.1 R, 113, 114, 36/126-130, 132, 2 R, 1.5, 58.5  
CPC ..... A41D 17/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

363,516 A	5/1887	Hackey
D33,447 S	10/1900	Sadler
1,084,197 A	1/1914	Collis
D59,044 S	9/1921	Tweedie

*Primary Examiner* — Holly H Baynham

*Assistant Examiner* — Rashida C. Walshon

(74) *Attorney, Agent, or Firm* — Dinsmore & Shohl LLP; Toni-Junell Herbert; Therese M. Finan

(57) **CLAIM**

The ornamental design for a protective spat for cleated or spiked sports shoes, as shown and described.

**DESCRIPTION**


FIG. 1 is a bottom perspective view of a protective spat for cleat or spiked sports shoes shown in use on an unclaimed shoe;

FIG. 2 is a top plan view of the design of FIG. 1 in use on an unclaimed shoe; and,

FIG. 3 is a left side elevational view of the design of FIG. 1 shown on an unclaimed shoe.

The broken lines forming the shoe inserted in the protective spat represent unclaimed environment. The broken lines immediately adjacent to the solid-line portions of the protective spat define the bounds of the claimed design form no part thereof.

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D278,478	S	*	4/1985	Reecher et al.	.....	D2/901
D278,567	S		4/1985	Rasmussen		
4,604,816	A		8/1986	Davison		
4,651,726	A		3/1987	Holland		
4,713,895	A		12/1987	Vallieres		
D301,799	S		6/1989	Tonkel		
4,878,505	A		11/1989	Thanner		
D311,807	S		11/1990	Pacanowsky et al.		
5,050,620	A		9/1991	Cooper		
D325,461	S		4/1992	Plotkin		
D335,946	S		6/1993	Preston		
D339,671	S		9/1993	Manning		
D357,345	S		4/1995	Cheatwood et al.		
D374,764	S		10/1996	Penn		
D385,102	S		10/1997	Avar		
D386,297	S		11/1997	Minnick et al.		
5,845,416	A		12/1998	Hands		
D413,711	S		9/1999	Hicks, Jr.		
D440,030	S		4/2001	Revis		
D441,941	S		5/2001	Hall		
D447,320	S		9/2001	Chute		
D453,062	S		1/2002	Hall		
D456,122	S		4/2002	Hall		
D552,834	S	*	10/2007	Hannah	.....	D2/946
7,383,646	B2		6/2008	Hall		
7,464,487	B2	*	12/2008	Boyd	.....	36/7.1 R
D599,981	S	*	9/2009	Kim	.....	D2/901
D619,338	S		7/2010	Teichert et al.		
D619,339	S		7/2010	Teichert et al.		
D620,236	S		7/2010	Langley, III et al.		
D636,154	S		4/2011	Teichert et al.		
2006/0075661	A1		4/2006	Ramsey		
2007/0186449	A1	*	8/2007	Wilcots	.....	36/2 R

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3