



US00D814909S

(12) **United States Design Patent**
Lawson

(10) **Patent No.:** **US D814,909 S**
(45) **Date of Patent:** **** Apr. 10, 2018**

- (54) **SHEPHERD HOOK**
- (71) Applicant: **Peak Innovations Inc.**, Richmond (CA)
- (72) Inventor: **Craig Lawson**, Burnaby (CA)
- (73) Assignee: **Peak Innovations Inc.**, Richmond (CA)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/605,357**
- (22) Filed: **May 25, 2017**

(30) **Foreign Application Priority Data**

Mar. 16, 2017 (CA) 173573

(51) **LOC (11) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/367**

(58) **Field of Classification Search**
USPC D8/367, 351, 354, 349
CPC G09F 17/00; A47K 10/04; F16M 13/02;
A47H 13/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D31,995 S * 12/1899 Aiker D8/370
- 1,333,692 A * 3/1920 Wester A47G 25/0607
24/598.7
- 4,979,712 A * 12/1990 Rios A47K 10/04
248/215
- D392,853 S * 3/1998 Hardison D6/403
- D423,915 S * 5/2000 Rehmert D8/367
- D424,912 S * 5/2000 Rehmert D8/367
- D434,972 S * 12/2000 Rehmert D8/367
- D469,340 S * 1/2003 Rehmert D8/367
- D648,208 S * 11/2011 Platt D8/367
- D661,574 S * 6/2012 Platt D8/367

- D668,938 S * 10/2012 Morales D8/367
- 8,387,292 B1 * 3/2013 Rasmus G09F 17/00
116/173
- D702,540 S * 4/2014 Kacines D8/367
- D734,134 S * 7/2015 Bauerle D8/372

(Continued)

Primary Examiner — Cynthia R Underwood

(74) *Attorney, Agent, or Firm* — Smiths IP; Lawrence Chan



(57) **CLAIM**

The ornamental design for a shepherd hook, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a shepherd hook;
 FIG. 2 is a rear perspective view of the first embodiment thereof;
 FIG. 3 is a front view of the first embodiment thereof;
 FIG. 4 is a rear view of the first embodiment thereof;
 FIG. 5 is a left side view of the first embodiment thereof;
 FIG. 6 is a right side view of the first embodiment thereof;
 FIG. 7 is a top view of the first embodiment thereof;
 FIG. 8 is a bottom view of the first embodiment thereof;
 FIG. 9 is a front perspective view of a second embodiment of a shepherd hook;
 FIG. 10 is a rear perspective view of the second embodiment thereof;
 FIG. 11 is a front view of the second embodiment thereof;
 FIG. 12 is a rear view of the second embodiment thereof;
 FIG. 13 is a left side view of the second embodiment thereof;
 FIG. 14 is a right side view of the second embodiment thereof;
 FIG. 15 is a top view of the second embodiment thereof;
 and,
 FIG. 16 is a bottom view of the second embodiment thereof.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D783,387 S * 4/2017 Wilson D8/356
D784,119 S * 4/2017 Brooks D8/367
D804,294 S * 12/2017 Bian D8/367
2006/0016943 A1* 1/2006 Thompson A47J 33/00
248/175
2008/0272269 A1* 11/2008 Moravsky A45F 5/02
248/692

* cited by examiner



Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14



Fig. 15



Fig. 16