

US00D815018S

(12) **United States Design Patent**
Dieng et al.

(10) **Patent No.:** **US D815,018 S**

(45) **Date of Patent:** **** Apr. 10, 2018**

(54) **TIRE**

(71) Applicants: **COMPAGNIE GENERALE DES
ETABLISSEMENTS MICHELIN,**
Clermont-Ferrand (FR); **Michelin
Recherche et Technique S.A.,**
Granges-Paccot (CH)

(72) Inventors: **Saliou Dieng,** Clermont-Ferrand (FR);
Brian Keefe, Greenville, SC (US)

(73) Assignees: **Compagnie Generale Des
Etablissements Michelin** (FR);
**Michelin Recherche Et Technique
S.A.** (CH)

(**) Term: **15 Years**

(21) Appl. No.: **29/575,482**

(22) Filed: **Aug. 25, 2016**

(30) **Foreign Application Priority Data**

Feb. 26, 2016 (FR) 2016-1072

(51) **LOC (11) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/553**

(58) **Field of Classification Search**
USPC D12/533-567
CPC B60C 11/00; B60C 11/0302
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D338,370 S 8/1993 Takeda
D340,898 S 11/1993 Kuroda

D355,151 S * 2/1995 Hagmaier D12/562
D385,234 S * 10/1997 Young D12/553
D388,370 S * 12/1997 Young D12/562
D390,510 S 2/1998 Stone et al.
D397,647 S 9/1998 Young
D472,202 S 3/2003 Gillard
D506,722 S * 6/2005 Nonaka D12/553
D584,217 S 1/2009 Scheuren et al.
D602,853 S * 10/2009 Nopper D12/600
D666,965 S * 9/2012 Aoki D12/553
D717,237 S 11/2014 Bardin et al.
D718,223 S 11/2014 Gommez
D724,007 S 3/2015 Belarbi et al.
D745,450 S 12/2015 Bardin et al.
D746,219 S 12/2015 Bardin et al.
D758,287 S 6/2016 Zivkovic et al.
D784,246 S * 4/2017 Zhu D12/553
D784,247 S * 4/2017 Zhu D12/553
D789,277 S * 6/2017 Dixon D12/518
D790,444 S * 6/2017 Zhu D12/566

* cited by examiner

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Joseph J. Kukella

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(57) **CLAIM**


The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of the tire of our design; FIG. 2 is a side elevation view of the tire of our design; FIG. 3 is a side elevation view of the tire of our design, taken from the opposite side of that shown in FIG. 2; and, FIG. 4 is an enlarged, partial view of the tire of FIG. 1, as indicated by the break lines.

The tread pattern repeats uniformly throughout the circumference of the tire.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4