



US00D815021S

(12) **United States Design Patent** (10) **Patent No.:** **US D815,021 S**
Oji (45) **Date of Patent:** **** Apr. 10, 2018**

(54) **TIRE FOR AUTOMOBILE**

(71) Applicant: **Sumitomo Rubber Industries, LTD.,**
Kobe-shi, Hyogo (JP)

(72) Inventor: **Takuya Oji**, Kobe-shi (JP)

(73) Assignee: **SUMITOMO RUBBER**
INDUSTRIES, LTD., Kobe-shi, Hyogo
(JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/575,510**

(22) Filed: **Aug. 25, 2016**

(51) **LOC (11) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/588; D12/900**

(58) **Field of Classification Search**
USPC D12/579, 586, 588, 589, 590
CPC B60C 11/03; B60C 11/04; B60C 11/13;
B60C 2011/0386; B60C 2011/0388
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D296,199 S * 6/1988 Tansei D12/590
D304,558 S * 11/1989 Fukumoto D12/588

D480,043 S * 9/2003 Hiroko D12/590
D609,169 S * 2/2010 Feider D12/588
D609,170 S * 2/2010 Feider D12/588
D754,591 S * 4/2016 Kristen D12/586
D795,173 S * 8/2017 Hayashi D12/588
9,751,365 B2 * 9/2017 Mathonet B60C 11/04

* cited by examiner

Primary Examiner — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch
& Birch, LLP

(57) **CLAIM**

The ornamental design for a tire for automobile, as shown
and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tire for automobile
showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is an enlarged partial view of FIG. 2; and,
FIG. 9 is a further enlarged partial view of FIG. 2.

1 Claim, 9 Drawing Sheets







FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9