

US00D815388S

(12) **United States Design Patent** (10) **Patent No.:** **US D815,388 S**
Sato (45) **Date of Patent:** **** Apr. 10, 2018**

(54) **AUTOMATIC TELLER MACHINE**

(56)

References Cited

(71) Applicant: **NEC Corporation**, Minato-ku, Tokyo
(JP)

U.S. PATENT DOCUMENTS

(72) Inventor: **Toshiaki Sato**, Minato-ku (JP)

D388,229 S * 12/1997 Couch D18/4.6
D405,833 S * 2/1999 Mussett D20/1
6,029,888 A * 2/2000 Harvey G06K 7/0034
235/379

(73) Assignee: **NEC CORPORATION**, Tokyo (JP)

D437,468 S * 2/2001 Fukutake D99/28

(**) Term: **15 Years**

D449,076 S * 10/2001 Dumouchel D20/10

(21) Appl. No.: **29/549,038**

D449,420 S * 10/2001 Sommerville D99/28

(22) Filed: **Dec. 18, 2015**

D456,587 S * 4/2002 Kit D99/28

(30) **Foreign Application Priority Data**

D462,776 S * 9/2002 Bain D14/307

Jun. 19, 2015 (JP) 2015-013682

D507,813 S * 7/2005 Gillard D20/10

(51) **LOC (11) Cl.** **20-01**

D530,880 S * 10/2006 Magee D99/28

(52) **U.S. Cl.**

D586,147 S * 2/2009 Tsay D6/668.1

USPC **D99/28**

D592,825 S * 5/2009 Kang D99/28

(58) **Field of Classification Search**

USPC D99/28, 34, 35, 36, 43, 99;

D14/300-302, 305, 307, 900-902;

D18/3.1-3.3, 4.1-4.6, 12.1-12.3;

D21/324, 325, 329, 369, 370; 101/66;

109/1 R, 1 V, 2, 23, 24.1, 25, 58, 58.5,

109/66; 446/8-13; 705/16, 17, 18, 42,

705/43, 44, 45; 235/51, 379, 380, 381,

235/382, 382.5, 386; 206/0.8, 0.81,

206/0.815, 0.82, 0.84

CPC .. G06Q 20/10; G06Q 20/108; G06Q 20/1085;

G06Q 20/18; G07D 1/00; G07D 1/02;

G07D 1/04; G07D 1/06; G07D 11/00;

G07D 9/002; G07D 9/04; G07F 19/20;

G07F 19/201; G07F 19/202; G07F

19/203; G07F 19/204; G07F 19/105;

G07F 19/21; G07F 19/00; G07F 7/04;

G07F 5/00; G07F 1/00; E05G 7/001;

E05G 1/006; A63H 33/00; A63H 33/005

See application file for complete search history.

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Keating & Bennett, LLP

(57)

CLAIM

The ornamental design for an automatic teller machine, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and right side perspective view of an automatic teller machine showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a right side view thereof with a section of the outer housing cut away to show the bottom touch display panel in an alternate position.

The even dashed broken lines represent portions of the automated teller machine that form no part of the claimed design. The dash-dot broken lines show a cut-away section in FIG. 8.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D596,373	S	*	7/2009	Kang		D99/28
D625,305	S	*	10/2010	Bleck		D14/307
D626,544	S	*	11/2010	Bleck		D14/307
D626,545	S	*	11/2010	Bleck		D14/307
D629,585	S	*	12/2010	Bleck		D14/307
7,959,072	B1	*	6/2011	Jenkins		G06Q 20/1085 235/375
D682,504	S	*	5/2013	Lee		D14/900
D738,366	S	*	9/2015	Kraft		D14/307
D743,956	S	*	11/2015	Kraft		D14/307
D769,570	S	*	10/2016	Kraft		D99/28

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8