



US00D815410S

(12) **United States Design Patent** (10) **Patent No.: US D815,410 S**
Fischer et al. (45) **Date of Patent: ** *Apr. 17, 2018**

(54) **INSOLE FOR A SHOE**

(71) Applicant: **S.C. JOHNSON & SON, INC.**,
Racine, WI (US)

(72) Inventors: **Caroline M. J. Fischer**, Mosbach (DE);
Ryan P. Kane, Shenzhen (CN); **Noud
Claassen**, Eindhoven (NL)

(73) Assignee: **S. C. Johnson & Son, Inc.**, Racine, WI
(US)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/591,514**

(22) Filed: **Jan. 20, 2017**

Related U.S. Application Data

(60) Continuation of application No. 29/529,865, filed on
Jun. 11, 2015, now Pat. No. Des. 781,041, which is a
division of application No. 29/478,887, filed on Jan.
9, 2014, now Pat. No. Des. 734,010.

(51) **LOC (11) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/961**

(58) **Field of Classification Search**
USPC D2/896, 946, 947, 949, 950, 961, 968;
36/83, 88, 89, 91, 92, 93, 25 R, 28, 29,
36/30 R, 30 A, 32 R, 34 R, 35 R, 34 A,
36/43, 44, 145, 153, 154, 155; D24/124,
D24/126

CPC A43B 7/14; A43B 7/1405; A43B 7/141;
A43B 7/1415; A43B 7/142; A43B
7/1425; A43B 7/143; A43B 7/1435; A43B
7/144; A43B 7/145; A43B 7/1455; A43B
7/146; A43B 7/1465; A43B 7/1475; A43B
7/148; A43B 7/1485; A43B 7/149; A43B
7/28; A43B 7/30; A43B 7/32; A43B

13/00; A43B 13/02; A43B 13/04; A43B
13/14; A43B 13/141; A43B 13/40; A43B
13/38; A43B 9/00; A43B 9/125; A43B
17/00; A43B 17/003; A43B 17/006; A43B
17/026; A43B 17/03; A43B 17/02; A43B
17/14

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D30,641 S * 4/1899 Peters D2/967
D39,747 S 1/1909 McKenna
1,144,291 A 6/1915 Boyer
D125,656 S * 3/1941 Cutler D2/955

(Continued)

FOREIGN PATENT DOCUMENTS

EM 000001089718-0001 3/2009
EM 000001161319-0001 9/2009

(Continued)

Primary Examiner — Elizabeth J Oswecki


(57) **CLAIM**

The ornamental design for an insole for a shoe, as shown and
described.

DESCRIPTION

FIG. 1 is a top isometric view of an insole for a shoe
showing our new design;
FIG. 2 is a side elevational view of the insole of FIG. 1;
FIG. 3 is an opposite side elevation view of the insole of
FIG. 2;
FIG. 4 is a rear elevational view of the insole of FIG. 1;
FIG. 5 is a front elevational view of the insole of FIG. 1;
FIG. 6 is a top plan view of the insole of FIG. 1; and,
FIG. 7 is a bottom plan view of the insole of FIG. 1.
The broken lines in the drawings depict environmental
subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D125,657 S 3/1941 Cutler
D234,930 S 4/1975 Arambasic
D275,146 S 8/1984 Kilgore
D281,543 S 12/1985 Nagano
D281,641 S 12/1985 Shiki
D287,302 S 12/1986 Peterson
D288,383 S 2/1987 Autry
4,653,206 A * 3/1987 Tanel A43C 13/04
36/126
D289,103 S 4/1987 Autry
D290,182 S * 6/1987 Chen D2/953
D298,883 S * 12/1988 Tanel D2/949
D300,687 S 4/1989 Kelley
D302,764 S 8/1989 Peoples et al.
5,509,218 A 4/1996 Arcan et al.
5,669,161 A 9/1997 Huang
D423,766 S 5/2000 Genga
D504,555 S 5/2005 Urie
D551,437 S 9/2007 Hung
D572,888 S 7/2008 Cai
D595,944 S 7/2009 Anderson et al.
D640,454 S 6/2011 Claassen
D648,517 S * 11/2011 Vestuti D2/951
D664,754 S 8/2012 Klein et al.
8,256,146 B2 * 9/2012 Loverin A43B 3/30
36/102
D675,413 S 2/2013 van Haasteren
D675,414 S 2/2013 van Haasteren
D677,866 S * 3/2013 Vestuti D2/947
D679,078 S 4/2013 van Haasteren

D679,080 S 4/2013 van Haasteren
D679,902 S 4/2013 van Haasteren
D687,217 S 8/2013 van Haasteren
D689,276 S 9/2013 Klein et al.
8,578,630 B2 * 11/2013 Diepenbrock A43B 7/144
36/25 R
D697,293 S * 1/2014 Vestuti D2/947
D697,704 S * 1/2014 Vestuti D2/951
D698,538 S 2/2014 van Haasteren
D702,432 S 4/2014 van Haasteren
D717,528 S 11/2014 Avent
D722,750 S * 2/2015 Vella D2/951
D734,010 S 7/2015 Fischer et al.
D743,154 S * 11/2015 Nethongkome D2/951
D743,681 S 11/2015 Wakeland et al.
D745,257 S * 12/2015 Chang D2/951
D747,596 S * 1/2016 Vestuti D2/951
D779,179 S * 2/2017 Christensen D2/951
D781,041 S * 3/2017 Fischer D2/961
D783,963 S * 4/2017 Sullivan D2/947
D790,178 S * 6/2017 McMillan D2/951
D790,179 S * 6/2017 McMillan D2/951
D793,683 S * 8/2017 Winfield D2/955
D793,684 S * 8/2017 Anceresi D2/955
D793,685 S * 8/2017 Anceresi D2/955

FOREIGN PATENT DOCUMENTS

EM 000001163596-0001 9/2009
EM 000001163596-0002 9/2009
EM 000002227975-0035 5/2013
EM 000003144237-0001 5/2016

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7