



US00D815524S

(12) **United States Design Patent**
Seeuwen et al.

(10) **Patent No.:** **US D815,524 S**
(45) **Date of Patent:** **** Apr. 17, 2018**

(54) **HOURLASS BOTTLE STOPPER**

(71) Applicants: **Steven Seeuwen**, Hawley, PA (US);
Eric Seeuwen, Honesdale, PA (US)

(72) Inventors: **Steven Seeuwen**, Hawley, PA (US);
Eric Seeuwen, Honesdale, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/620,713**

(22) Filed: **May 3, 2017**

(51) **LOC (11) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/439**

(58) **Field of Classification Search**
USPC D9/414, 415, 424, 425, 434, 435, 436,
D9/443, 444-452, 454-456, 499, 529,
D9/682, 685, 686, 439, 440; D7/387,
D7/391, 392, 392.1, 396.1, 396.2, 396.3,
D7/396.4, 397, 398, 401.1, 507, 509-511,
D7/538, 900, 514, 515, 700; D3/202,
D3/203.2; D28/91, 91.1; D24/129, 130;
D21/386; D8/378
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
1/02; B65D 1/10; B65D 1/46; B65D
2585/56; B65D 2585/545; B65D 41/00;
B65D 41/38; B65D 41/56; B65D 41/62;
B65D 47/00; B65D 47/06; B65D 47/08;
B65D 2543/00046; B65D 2543/00092;
B65D 2543/00296; B65D 5/46; B65D
2251/00
See application file for complete search history.

D452,735 S * 1/2002 Utas D24/112
D454,637 S * 3/2002 Nestenborg D24/112
D535,558 S * 1/2007 Kehoe D9/440
D575,639 S * 8/2008 Seeuwen D9/439
D639,657 S * 6/2011 Hoyt D9/439
8,783,486 B1 * 7/2014 Hoyt B65D 79/005
215/355
D713,199 S * 9/2014 Hannan D7/393
D735,853 S * 8/2015 Pa D24/129
D758,853 S * 6/2016 Seeuwen D9/439
D767,128 S * 9/2016 DeBartola D24/130
D780,574 S * 3/2017 Seeuwen D9/439
9,751,085 B2 * 9/2017 Pa B01L 3/5635
D807,114 S * 1/2018 Niles D7/392.1
2006/0000855 A1 * 1/2006 Allen B65D 47/06
222/484
2015/0014367 A1 * 1/2015 VanSyckel B65D 47/121
222/399

* cited by examiner

Primary Examiner — Michael A. Pratt
Assistant Examiner — Wendy L Arminio
(74) *Attorney, Agent, or Firm* — Sandra M Kotin

(57) **CLAIM**

The ornamental design for an hourglass bottle stopper, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view of an hourglass bottle stopper according to the present design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is an exploded front perspective view of the hourglass bottle stopper of FIG. 1, shown with the O-rings removed and relocated below the stopper for clarity of disclosure.

1 Claim, 5 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

D236,225 S * 8/1975 Vickers D26/22
D249,725 S * 9/1978 Cosman D21/386
D432,230 S * 10/2000 Utas D24/112






FIG. 1




FIG. 3




FIG. 2




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8