



US00D815553S

(12) **United States Design Patent** (10) **Patent No.:** **US D815,553 S**  
**Fillon** (45) **Date of Patent:** **\*\* Apr. 17, 2018**

(54) **BRACELET**  
(71) Applicant: **Cartier International AG**, Steinhausen (CH)  
(72) Inventor: **Arnaud Fillon**, Paris (FR)  
(73) Assignee: **Cartier International AG**, Steinhausen (CH)  
(\*\*) Term: **15 Years**

D93,402 S \* 9/1934 Johnson ..... D11/38  
D129,407 S \* 9/1941 Wilmarth ..... D11/7  
D228,408 S \* 9/1973 Mechanic ..... D11/38  
D230,625 S \* 3/1974 Mechanic ..... D11/38  
D366,223 S \* 1/1996 Samuel ..... D11/3  
D368,047 S \* 3/1996 Samuel ..... D11/3  
D394,020 S \* 5/1998 Cerato ..... D11/13  
D398,551 S \* 9/1998 Kupelian ..... D11/18  
D462,287 S \* 9/2002 Rosenwasser ..... D11/13  
D474,990 S \* 5/2003 Montanari ..... D11/20  
D551,111 S \* 9/2007 Beard ..... D11/13  
D635,480 S \* 4/2011 Modi ..... D11/38  
D637,936 S \* 5/2011 Modi ..... D11/3

(Continued)

(21) Appl. No.: **29/584,823**  
(22) Filed: **Nov. 17, 2016**  
(51) **LOC (11) Cl.** ..... **11-01**  
(52) **U.S. Cl.**  
USPC ..... **D11/4**  
(58) **Field of Classification Search**  
USPC ..... D11/1-40, 79-86; D8/387; D14/344  
CPC ... A44C 5/0007; A44C 5/0015; A44C 5/0023;  
A44C 5/003; A44C 5/0038; A44C  
5/0053; A44C 5/0061; A44C 5/0069;  
A44C 5/0084; A44C 5/0092; A44C 5/02;  
A44C 5/022; A44C 5/025; A44C 5/04;  
A44C 5/10; A44C 5/102; A44C 5/105;  
A44C 5/107; A44C 5/12; A44C 5/14;  
A44C 5/142; A44C 5/18; A44C 5/185;  
A44C 5/20; A44C 5/22; A44C 5/2009;  
A44C 5/2023; A44C 9/00; A44C 9/0038;  
A44C 9/0046; A44C 9/0069; A44C  
9/0084; A44C 9/02; A44C 17/00; A44C  
17/003; A44C 17/007; A44C 17/02; A44C  
25/00; A44C 25/001; A44C 25/002; A44C  
25/004; A44C 25/005; A44C 25/007  
See application file for complete search history.

*Primary Examiner* — Cynthia Ramirez  
*Assistant Examiner* — L. Martinez-Rivera  
(74) *Attorney, Agent, or Firm* — Taft Stettinius & Hollister LLP

(57) **CLAIM**


The ornamental design for a bracelet, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a bracelet showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a left, front perspective view thereof;  
FIG. 8 is a left, front perspective view of the bracelet, showing exemplary, alternate positions of the nut elements along the bolt element; and,  
FIG. 9 is a left, front perspective view of the bracelet, showing other exemplary, alternate positions of the nut elements along the bolt element.

**1 Claim, 2 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
136,550 A \* 3/1873 Schenck, Jr. .... F16G 13/14  
D11/20  
1,661,835 A \* 3/1928 Keller ..... B21C 37/124  
D11/20



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D642,086	S	*	7/2011	Modi	.....	D11/40
D684,496	S	*	6/2013	Haimoff	.....	D11/3
D709,401	S	*	7/2014	Arostini	.....	D11/3
D750,527	S	*	3/2016	Roth	.....	D11/4
D753,531	S	*	4/2016	Roth	.....	D11/4
D753,533	S	*	4/2016	Roth	.....	D11/4
D762,511	S	*	8/2016	Roth	.....	D11/4
D772,099	S	*	11/2016	Roth	.....	D11/4

\* cited by examiner




Fig. 1




Fig. 2



Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9