



US00D815575S

(12) **United States Design Patent** (10) **Patent No.:** **US D815,575 S**
Temmerman (45) **Date of Patent:** **** *Apr. 17, 2018**

- (54) **HANDLEBAR**
- (71) Applicant: **Paul Temmerman**, Visalia, CA (US)
- (72) Inventor: **Paul Temmerman**, Visalia, CA (US)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **14 Years**
- (21) Appl. No.: **29/480,872**
- (22) Filed: **Jan. 30, 2014**
- (51) **LOC (11) Cl.** **12-11**
- (52) **U.S. Cl.**
USPC **D12/178**
- (58) **Field of Classification Search**
USPC D12/111, 114, 178; D8/303; 74/502.2,
74/551.1-551.8; 280/274, 281.1, 288.4
CPC B62K 19/16; B62K 21/12; B62K 21/18;
B62K 21/125; B62K 23/06
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D223,072 S * 3/1972 Pawsat D12/178
4,347,893 A * 9/1982 Moyer 165/44
D315,132 S * 3/1991 Lance D12/178
5,117,708 A * 6/1992 Boyer et al. 74/551.1
5,950,497 A * 9/1999 Weiher 74/551.1
D431,803 S * 10/2000 Renshaw D12/178
D436,564 S * 1/2001 Renshaw D12/178
D542,197 S * 5/2007 Carlini D12/178

- 7,350,437 B2 * 4/2008 Mangano et al. 74/551.1
- D604,212 S * 11/2009 Carlini D12/178
- D629,343 S * 12/2010 Carlini D12/178
- D687,753 S * 8/2013 Carlini D12/178
- 2010/0018341 A1 * 1/2010 Greppi 74/551.1

FOREIGN PATENT DOCUMENTS

- DE 102007012267 A1 * 9/2008 B21D 53/86
- TW 299693 U * 10/2006 B21D 53/86

* cited by examiner


Primary Examiner — Darlington Ly
(74) *Attorney, Agent, or Firm* — William K. Nelson;
Mark D. Miller

(57) **CLAIM**
The ornamental design for a handlebar, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a handlebar showing my new design;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevation view thereof; and,
FIG. 6 is a left side elevation view thereof.
The handlebar embodying the design consists of a base portion, two outer gripping portions, and two transition portions, wherein the base portion and the gripping portions have narrower diameters than the transition portions therebetween.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6