



US00D815595S

(12) **United States Design Patent** (10) **Patent No.:** **US D815,595 S**
Claeys (45) **Date of Patent:** **** Apr. 17, 2018**

(54) **CURRENT TRANSDUCER**

(71) Applicant: **LEM Intellectual Property SA,**
Fribourg (CH)

(72) Inventor: **Stéphane Claeys, Chevrier (FR)**

(73) Assignee: **LEM INTELLECTUAL PROPERTY**
SA, Fribourg (CH)

(**) Term: **15 Years**

(21) Appl. No.: **29/530,472**

(22) Filed: **Jun. 17, 2015**

(30) **Foreign Application Priority Data**

Dec. 29, 2014 (EP) 862696001

(51) **LOC (11) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/110**

(58) **Field of Classification Search**

USPC D13/110, 101, 117, 123, 124, 159, 182,
D13/184, 199; D10/75; 73/767, 771,
73/779, 801, 811; 324/117 H, 117 R,
324/120, 121 R, 127, 244, 253; 361/18,
361/30, 31, 93.1–93.9; 367/140;
369/13.11–13.13; 381/150; 336/173,
336/176, 178

CPC H01R 13/5812; G01R 33/02; G01R 33/04;
G01R 33/06; G01R 15/20; G01R 15/185;
G01R 15/202; G01R 15/205; G01R
15/207; G01R 19/18; G01R 19/20; G01R
19/22; G01R 19/0084; G01R 19/0092;
G01R 19/00; G01R 5/20; G01R 5/22;
G01R 5/24; G01R 5/26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D260,877 S 9/1981 Scott et al.
D288,314 S * 2/1987 Makinson D13/110

D293,431 S * 12/1987 Makinson D13/110
D494,078 S 8/2004 Vuillermoz
D534,120 S * 12/2006 Ricci D13/110
D610,087 S * 2/2010 Johnson D13/110
D686,156 S * 7/2013 Ye D13/110
D688,626 S * 8/2013 Ye D13/110
8,587,399 B2 * 11/2013 Crutcher H01F 27/24
336/173
D751,034 S * 3/2016 Ye D13/110

FOREIGN PATENT DOCUMENTS

CN 03303685.3 8/2003
GB 3010841 2/2003
JP 1195975 12/2003
WO WO-DM/062779 3/2003
WO WO-DM/084273 2/2015

* cited by examiner

Primary Examiner — Derrick Holland

(74) *Attorney, Agent, or Firm* — Harness, Dickey &
Pierce, P.L.C

(57) **CLAIM**


The ornamental design for a current transducer, as shown
and described.

DESCRIPTION

FIG. 1 is a bottom front perspective view of a current
transducer showing my new design;
FIG. 2 is a top rear perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.

The broken lines depict environmental subject matter only
and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D815,595 S
APPLICATION NO. : 29/530472
DATED : April 17, 2018
INVENTOR(S) : Stéphane Claeys


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

(30) Foreign Application Priority Data should read:
Dec. 29, 2014 (WIPO)862696001

Signed and Sealed this
Nineteenth Day of June, 2018

A handwritten signature in black ink, appearing to read "Andrei Iancu", with a stylized, flowing script.

Andrei Iancu
Director of the United States Patent and Trademark Office