



US00D815792S

(12) **United States Design Patent**
Piombino et al.

(10) **Patent No.:** **US D815,792 S**
(45) **Date of Patent:** **** Apr. 24, 2018**

- (54) **PAD FOR A GIRDLE**
- (71) Applicant: **BSN SPORTS, LLC**, Farmers Branch, TX (US)
- (72) Inventors: **Don Piombino**, Farmers Branch, TX (US); **Bastien Jourde**, Montréal (CA)
- (73) Assignee: **BSN SPORTS, LLC**, Farmers Branch, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/580,308**

(22) Filed: **Oct. 7, 2016**

(51) **LOC (11) Cl.** **02-01**

(52) **U.S. Cl.**
USPC **D2/712; D2/731**

(58) **Field of Classification Search**
USPC D2/711-712, 716-717, 728, 731, 738, D2/742, 748, 791, 851, 702, 704; 2/220-221, 228, 237, 238, 275, 244, 400, 2/404, 69, 93, 96, 227, 243.1, 265, 247, 2/79, 242, 267, 268-269, 407
CPC A41D 13/0506; A41D 13/0593; A41D 13/015; A41D 31/005; A41B 9/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

759,833	A	5/1904	Stall	
7,035,844	B2	4/2006	Andreev et al.	
D571,047	S *	6/2008	Kamradt	D2/711
7,389,547	B1	6/2008	Wiens	
D626,718	S *	11/2010	Turner	D2/712
D626,719	S *	11/2010	Turner	D2/712
D628,769	S *	12/2010	Turner	D2/712
D633,688	S *	3/2011	Turner	D2/712
8,095,996	B2 *	1/2012	Turner	A41D 13/0587

2/22

8,272,073	B2 *	9/2012	Arensdorf	A41D 1/08
				2/228
8,438,667	B2 *	5/2013	Grogro	A41D 13/0506
				2/228
8,438,669	B2 *	5/2013	Turner	A41D 13/05
				2/22
D721,871	S *	2/2015	Thorn	D2/731
D760,997	S *	7/2016	Gallo	D2/731
D768,357	S *	10/2016	White	D2/731
D783,938	S *	4/2017	Todd	D2/731
D787,157	S *	5/2017	Yoo	D2/731
D790,157	S *	6/2017	Handlon	D2/731

(Continued)

Primary Examiner — Eric L Goodman

Assistant Examiner — Amy C Wierenga

(74) *Attorney, Agent, or Firm* — Westerman, Hattori, Daniels & Adrian, LLP

(57) **CLAIM**



The ornamental design for a pad for a girdle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a pad for a girdle;
 FIG. 2 is a front view thereof;
 FIG. 3 is a back view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a perspective view of a second embodiment of a pad for a girdle;
 FIG. 7 is a front view thereof
 FIG. 8 is a back view thereof;
 FIG. 9 is a left side view thereof;
 FIG. 10 is a right side view thereof;
 FIG. 11 is a top view thereof; and,
 FIG. 12 is a bottom view thereof.

The broken lines shown in the drawings depict portions of the pad for a girdle and environmental subject matter that form no part of the claim.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D793,658 S * 8/2017 Smith D2/712
2005/0234380 A1 * 10/2005 Fulford A41D 13/0158
602/61
2008/0222766 A1 * 9/2008 Arensdorf A41D 1/08
2/22
2009/0307829 A1 * 12/2009 Onrot A41D 13/015
2/465
2011/0067160 A1 * 3/2011 Grogro A41D 13/0506
2/23
2011/0171420 A1 * 7/2011 Yang A41D 13/0156
428/116
2012/0164377 A1 * 6/2012 Lin B32B 7/02
428/137
2012/0255105 A1 * 10/2012 Turner A41D 13/0506
2/455
2014/0004322 A1 * 1/2014 Kim B32B 38/0004
428/201
2014/0173815 A1 * 6/2014 Grogro A41D 13/015
2/461
2014/0245525 A1 * 9/2014 Turner A41H 43/00
2/455
2015/0297973 A1 * 10/2015 Beers A63B 71/12
2/461
2016/0021953 A1 * 1/2016 Turner A41D 13/015
2/22

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12