



US00D815945S

(12) **United States Design Patent** (10) **Patent No.:** **US D815,945 S**
Fischer (45) **Date of Patent:** **** Apr. 24, 2018**

(54) **CAP**

(71) Applicant: **Clarence J. Venne, LLC**, Bristol, PA (US)

(72) Inventor: **Jeffrey H. Fischer**, Warminster, PA (US)

(73) Assignee: **CLARENCE J. VENNE, LLC**, Bristol, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/518,614**

(22) Filed: **Feb. 25, 2015**

(51) **LOC (11) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/453**

(58) **Field of Classification Search**
USPC D3/10, 17, 202; D7/392.1, 396.2, 511, D7/527, 532, 900; D8/107, 302, 312, D8/321, 300, 303, 306; D9/434, 435, D9/439, 443, 452, 454, 529, 556, 669, D9/724, 772; D11/152; D14/217; D19/96, 97, 162; 215/206, 209, 216, 215/218, 252, 256, 270, 295, 344, 350; 220/288; 222/541.2; 229/123.1; D10/102; D12/179; D23/249, 250, 259, D23/260

CPC A45D 34/00; A45D 34/042; A45D 2040/0006; A45D 2040/093; B65D 1/02; B65D 1/0233; B65D 1/08; B65D 1/10; B65D 25/00; B65D 25/40; B65D 25/42; B65D 25/46; B65D 25/48; B65D 25/77; B65D 39/00; B65D 39/0047; B65D 41/00; B65D 43/00; B65D 43/02; B65D 41/0421; B65D 41/0471; B65D 41/0485; B65D 41/3404; B65D 55/00; B65D 35/44; B65D 2203/00; B65D 11/04; B05B 17/00; B05B 15/002; B65B 51/02; B65B 51/04; B65B 51/24; B65B 51/1688; A63B 41/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D109,024 S *	3/1938	Paull et al.	D9/453
D112,699 S *	12/1938	Johnson	D9/445
D138,080 S *	6/1944	Darham	D9/453
D142,621 S *	10/1945	Darham	D8/DIG. 2
D142,990 S *	11/1945	Darham	D9/453
D145,512 S *	9/1946	Darham	D9/452
D153,946 S *	5/1949	Jung	D8/DIG. 2
3,411,659 A *	11/1968	Seifert	B65F 1/16 220/212.5
D217,134 S *	4/1970	Howard	D9/453
D267,546 S *	1/1983	Manlove	D9/445
D271,285 S *	11/1983	Lauren	D9/454

(Continued)

FOREIGN PATENT DOCUMENTS

SE 66885-0001 * 5/2000

Primary Examiner — Thomas Johannes

Assistant Examiner — Catherine S Posthauer

(74) *Attorney, Agent, or Firm* — Barnes & Thornburg LLP; Michael A. Carrillo



(57) **CLAIM**

The ornamental design for a cap, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a cap showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a side elevational view thereof;
FIG. 4 is a second side elevational view thereof, opposite FIG. 3; and,
FIG. 5 is a bottom plan view thereof.
The broken lines are shown for the purpose of illustrating parts of the article that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D400,440 S	*	11/1998	Tucker	D9/451
D424,401 S	*	5/2000	Ziemer	D8/312
D424,937 S	*	5/2000	Tucker	D9/435
D444,383 S	*	7/2001	Crawford	D9/453
D480,263 S	*	10/2003	Lillelund	D7/391
D577,584 S	*	9/2008	Porter	D9/447
D584,919 S	*	1/2009	Regnart	D7/391
D603,261 S	*	11/2009	Arnell	D9/453
D642,011 S	*	7/2011	Seager	D7/391
D675,096 S	*	1/2013	Obrist	D9/453
D675,526 S	*	2/2013	Obrist	D9/453
D684,057 S	*	6/2013	Kwon	D9/453
D684,058 S	*	6/2013	Kwon	D9/453

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5