



US00D816054S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,054 S**
Nishizawa (45) **Date of Patent:** **** Apr. 24, 2018**

(54) **PORTABLE COMMUNICATION DEVICE**
 (71) Applicant: **ICOM INCORPORATED**, Osaka-shi,
 Osaka (JP)
 (72) Inventor: **Haruki Nishizawa**, Osaka (JP)
 (73) Assignee: **ICOM INCORPORATED**, Osaka (JP)

D303,116 S * 8/1989 Richards D14/225
 D303,667 S * 9/1989 Scheid D14/191
 D314,768 S * 2/1991 Taniguchi D14/171
 D325,579 S * 4/1992 Bouhuys D14/191
 D352,285 S * 11/1994 Khouri D14/191
 D357,197 S * 4/1995 Suzuki D10/46
 D371,417 S * 7/1996 Franks D14/191
 D377,934 S * 2/1997 Vondrak D14/138 AA

(Continued)

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/576,990**

ICOM IC-DPR30, published Sep. 15, 2016, [online], [site visited Dec. 12, 2017]. Available from Internet, <URL: <https://www.youtube.com/watch?v=WoOFHto3mSs>>.*

(22) Filed: **Sep. 8, 2016**

(30) **Foreign Application Priority Data**

Mar. 9, 2016 (JP) 2016-005243

Primary Examiner — Jeffrey D Asch

(51) **LOC (11) Cl.** **14-03**

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(52) **U.S. Cl.**

USPC **D14/137**; D14/138 R

(57) **CLAIM**

(58) **Field of Classification Search**

USPC D14/137, 138 R, 138 AA, 147, 148, 218,
 D14/155, 159, 142, 225, 226, 191, 188,
 D14/192, 194, 197, 198; D21/517;
 D10/104.1, 104.2, 106.1, 65; D13/168
 CPC H04B 1/3833; H04B 1/3827; H04B
 2001/3861; H04M 1/0202; H04M 1/03;
 H04M 1/035; H04W 76/005; G08B
 21/0202

The ornamental design for a portable communication device, as shown and described.

See application file for complete search history.

DESCRIPTION

(56) **References Cited**


U.S. PATENT DOCUMENTS

D279,001 S * 5/1985 Nagasawa D14/163
 D281,501 S * 11/1985 Yamagata D14/159
 D281,777 S * 12/1985 Matsumoto D14/192
 D282,463 S * 2/1986 Barr 379/37
 D282,660 S * 2/1986 Imazeki D14/137
 D293,239 S * 12/1987 Larson D14/155
 D295,404 S * 4/1988 Tokiyama D14/137

FIG. 1 is a perspective view of the portable communication device;
 FIG. 2 is a front view of the portable communication device;
 FIG. 3 is a rear view of the portable communication device;
 FIG. 4 is a left side view of the portable communication device;
 FIG. 5 is a right side view of the portable communication device;
 FIG. 6 is a top view of the portable communication device;
 and,
 FIG. 7 is a bottom view of the portable communication device.

The broken lines depict portions of the portable communication device in which the design is embodied that are not considered part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D384,071 S * 9/1997 Guthan, Jr. D14/191
5,787,341 A * 7/1998 Parkas H04B 1/3833
224/191
D401,877 S * 12/1998 Wilde D10/106.1
D478,018 S * 8/2003 Adamosky D10/65
D490,396 S * 5/2004 Yamaguchi D14/142
D505,127 S * 5/2005 Yoshida D14/159
D531,156 S * 10/2006 Ahn D14/138 C
D537,417 S * 2/2007 Dukerschein D13/164
D544,458 S * 6/2007 Huang D14/138 AA
D575,764 S * 8/2008 Nakashima D14/159
D628,974 S * 12/2010 Park D14/138 AD
D632,278 S * 2/2011 Lu D14/138 AA
D653,225 S * 1/2012 Yong D14/137
D696,635 S * 12/2013 Asher D13/168
D705,814 S * 5/2014 Liberti D14/507
2002/0187758 A1 * 12/2002 Ylitalo H01Q 1/242
455/575.1

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig.4




Fig.5




Fig. 6




Fig. 7