



US00D816375S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,375 S**  
**Roberts et al.** (45) **Date of Patent:** **\*\* May 1, 2018**

(54) **RAPID ASSEMBLY SUPPORT STRUCTURE CORE**

(71) Applicant: **Oddello Industries, LLC**, Morristown, TN (US)

(72) Inventors: **Thomas A. Roberts**, Dandridge, TN (US); **Shawn M. Parella**, Morristown, TN (US)

(73) Assignee: **Oddello Industries, LLC**, Morristown, TN (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/561,554**

(22) Filed: **Apr. 18, 2016**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/498,528, filed on Aug. 5, 2014, now Pat. No. Des. 753,936, which is a continuation-in-part of application No. 29/550,270, filed on Dec. 31, 2015.

(51) **LOC (11) Cl.** ..... **09-09**

(52) **U.S. Cl.**  
USPC ..... **D6/606; D8/354**

(58) **Field of Classification Search**

USPC ..... D8/349, 354; D9/433; D6/606, 382, D6/383, 329; D21/698, 803, 809; 5/630, 5/632, 633, 636, 637, 639, 644, 646, 652, 5/655, 655.3, 655.9, 690, 696, 702, 705, 5/706, 716, 717, 718, 727-730, 740; 108/51.3, 56.3, 901, 902, 160, 56.1, 57.17

CPC ..... B65D 19/0002; B65D 19/00; B65D 2519/00398; B65D 2519/00587; B65D 2519/00323; B65D 2519/00402; B65D 2519/00646; B65D 2519/00592; B65D 2519/00502; A47C 19/025; A47C 19/202; A47C 19/005; A47C 19/021; E02D 27/32

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,352,217	A *	10/1982	O'Rourke .....	A47C 27/085	5/400
5,285,732	A *	2/1994	Gottlieb .....	B65D 19/0018	108/51.3
5,728,478	A *	3/1998	Wilson .....	A47C 19/005	206/45.21
7,784,122	B2 *	8/2010	Oh .....	A47C 19/005	5/174
D673,800	S *	1/2013	Young .....	D6/606	
D673,801	S *	1/2013	Young .....	D6/606	
8,584,277	B1 *	11/2013	Roberts .....	A47C 19/005	5/1

(Continued)

*Primary Examiner* — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Shaddock Law Group, PC

(57) **CLAIM**

The ornamental design for a rapid assembly support structure core, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper, right corner perspective view of a first exemplary embodiment of the rapid assembly support structure core, showing our new design;

FIG. 2 is a lower, left corner perspective view thereof;

FIG. 3 is a lower, left corner perspective view thereof;

FIG. 4 is a lower, right corner perspective view thereof;

FIG. 5 is a lower, right side perspective view thereof;

FIG. 6 is an upper, right side perspective view thereof;

FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof;


FIG. 9 is a right side view thereof;

FIG. 10 is a left side view thereof;

FIG. 11 is a front side view thereof; and,

FIG. 12 is a rear side view thereof.

**1 Claim, 5 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

9,080,304	B1 *	7/2015	Roberts	.....	A47C 19/005
9,139,332	B1 *	9/2015	Roberts	.....	B65D 19/0002
D753,417	S *	4/2016	Roberts	.....	D6/606
D753,936	S *	4/2016	Roberts	.....	D6/606
9,352,875	B1 *	5/2016	Roberts	.....	B65D 19/0002
9,474,383	B1 *	10/2016	Roberts	.....	A47C 19/02
9,726,208	B1 *	8/2017	Roberts	.....	A47C 23/005
2010/0175187	A1 *	7/2010	Hall	.....	A47C 19/005
					5/400
2011/0203050	A1 *	8/2011	Rogers	.....	A47C 19/005
					5/285


\* cited by examiner




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 7**




**FIG. 8**




**FIG. 9**



**FIG. 10**



**FIG. 11**



**FIG. 12**