

US00D816469S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,469 S**
Toomey (45) **Date of Patent:** **** May 1, 2018**

(54) **DEEP GROOVE SCREW**
(71) Applicant: **Marshall Lee Toomey**, Canyon Country, CA (US)
(72) Inventor: **Marshall Lee Toomey**, Canyon Country, CA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/590,550**
(22) Filed: **Jan. 11, 2017**
(51) **LOC (11) Cl.** **08-08**
(52) **U.S. Cl.**
USPC **D8/387**
(58) **Field of Classification Search**
USPC D8/349, 382, 387, 385, 388, 391, 393
CPC F16B 15/00; F16B 15/06; F16B 23/00;
F16B 23/0061; F16B 23/0015; F16B 25/0036; F16B 35/04; F16B 35/06; F16B 35/041; A61B 17/68; A61B 17/686; A61B 17/7083; A61B 2017/0648; A61B 17/7082; A61B 17/8605; A61B 17/861; A61B 17/8877; A61B 17/862; A61B 17/8883; A61B 17/8635
See application file for complete search history.

D366,115 S * 1/1996 Sullivan D24/156
5,697,929 A * 12/1997 Mellinger A61B 17/7001
411/5
5,730,744 A * 3/1998 Justin A61B 17/064
606/104
5,792,142 A * 8/1998 Galitzer A61B 17/8635
411/302
6,045,554 A * 4/2000 Grooms A61B 17/862
606/304
6,283,973 B1 * 9/2001 Hubbard A61B 17/8615
411/393
6,464,706 B1 * 10/2002 Winters A61B 17/0401
606/99
6,478,798 B1 * 11/2002 Howland A61B 17/7038
606/264
D628,292 S * 11/2010 Berberich D24/145
D630,327 S * 1/2011 Rinner D24/145
8,197,509 B2 * 6/2012 Contiliano A61B 17/0401
606/232
D773,926 S * 12/2016 Sweeney D8/387
9,724,140 B2 * 8/2017 McCormick A61B 17/7291

(Continued)

Primary Examiner — Sandra S Snapp
Assistant Examiner — Ieisha N Price
(74) *Attorney, Agent, or Firm* — Dunlap Bennett & Ludwig PLLC; Brendan E. Squire


(57) **CLAIM**
The ornamental design for a deep groove screw, as shown and described.

(56) **References Cited**
U.S. PATENT DOCUMENTS
57,282 A * 8/1866 Bowers F16H 25/2204
411/423
338,956 A * 3/1886 Hall F16B 15/06
411/394
348,589 A * 9/1886 Sloan F16B 15/06
411/455
373,074 A * 11/1887 Jones F16B 25/00
411/386
4,871,313 A * 10/1989 Maillefer A61C 5/35
433/225

DESCRIPTION

FIG. 1 is a perspective view of the deep groove screw showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a rear elevation view thereof; and,
FIG. 7 is a left side elevation view thereof.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0082956 A1* 4/2004 Baldwin A61B 17/0401
606/232
2006/0052878 A1* 3/2006 Schmieding A61F 2/30
623/23.4
2006/0241623 A1* 10/2006 Lim A61B 17/8625
606/265
2008/0243192 A1* 10/2008 Jacene A61B 17/8047
606/290
2014/0109381 A1* 4/2014 Hawkes A61B 17/8891
29/525.11
2014/0227062 A1* 8/2014 Platt E05D 3/02
411/386

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7