



US00D816470S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,470 S**
Green (45) **Date of Patent:** **** May 1, 2018**

(54) **STRING GROOVE MASONRY CLAMP**
(71) Applicant: **Andy Green**, Bentonville, AR (US)
(72) Inventor: **Andy Green**, Bentonville, AR (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/547,949**
(22) Filed: **Dec. 9, 2015**
(51) **LOC (11) Cl.** **08-08**
(52) **U.S. Cl.**
USPC **D8/394**
(58) **Field of Classification Search**
USPC D8/71-74, 394-399, 59; 248/63, 72,
248/74.1, 689, 124.2; 81/487, 385, 386,
81/388-390; 269/3, 4, 6, 143, 165, 240,
269/243, 246-249, 254 R, 147-149;
29/256, 257, 276; 408/103, 104-109;
D25/119
CPC B25B 1/00; B25B 5/00
See application file for complete search history.

D505,211 S * 5/2005 Stanchfield D25/119
D518,186 S * 3/2006 Zarb D25/119
D531,017 S * 10/2006 Debevec D8/394
D544,105 S * 6/2007 Flechsig D25/119
D571,179 S * 6/2008 Ahlgren D8/395
D579,123 S * 10/2008 Johnston D25/119
D579,124 S * 10/2008 Sauter D25/119
D594,726 S * 6/2009 Arredondo D8/72
7,744,043 B2 * 6/2010 Otinger F16L 3/02
248/226.11
8,177,205 B2 * 5/2012 Troller B25B 5/06
269/25
D681,438 S * 5/2013 Chen D8/394
(Continued)


Primary Examiner — David Muller
Assistant Examiner — Nathan Johnston
(74) *Attorney, Agent, or Firm* — Keisling & Pieper PLC;
David B. Pieper

(57) **CLAIM**
The ornamental design for a string groove masonry clamp,
as shown and described.

(56) **References Cited**
U.S. PATENT DOCUMENTS
2,519,652 A 8/1950 Hargrave 24/253
2,667,678 A 2/1954 Hargrave et al. 24/253
D288,615 S * 3/1987 Hardy D25/119
4,943,039 A * 7/1990 Jackson B25B 5/006
269/45
4,979,703 A * 12/1990 Fleming F16L 3/003
248/65
D322,390 S * 12/1991 Nimitz D32/64
D379,237 S * 5/1997 Leonelli D25/119
5,765,820 A * 6/1998 Marusiak B25B 5/003
269/156
5,791,210 A * 8/1998 Wolff B25L 35/06
269/254 R
D462,787 S * 9/2002 Scalzott D25/119
6,644,636 B1 * 11/2003 Ryan B25B 5/06
269/156

DESCRIPTION
FIG. 1 is a top perspective view of a string groove masonry clamp showing my new design;
FIG. 2 is a top view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a front view thereof; and,
FIG. 5 is a right side view thereof;
FIG. 6 is a back view thereof;
FIG. 7 is a bottom view thereof; and
FIG. 8 is a bottom perspective view thereof; and,
FIG. 9 is an environmental view thereof showing an apex mounted string retained by the string cleat.
The broken lines showing the masonry block and string are for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,672,307 B1 * 3/2014 Pacheco B25L 35/06
269/3
D718,999 S * 12/2014 Robinson D8/72
D719,807 S * 12/2014 Robinson D8/72
D725,462 S * 3/2015 Zilisch D8/395
D742,354 S * 11/2015 McNamara D14/205
D791,975 S * 7/2017 Nelson D25/119

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9