



US00D816516S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,516 S**
Frei (45) **Date of Patent:** **** May 1, 2018**

(54) **CLOCK**

(71) Applicant: **IKA—Werke GmbH & Co. KG,**
Staufen (DE)

(72) Inventor: **Andreas Frei,** Staufen (DE)

(73) Assignee: **IKA-Werke GmbH & Co. KG,**
Staufen (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/606,608**

(22) Filed: **Jun. 6, 2017**

Related U.S. Application Data

(62) Division of application No. 29/547,538, filed on Dec. 4, 2015, now Pat. No. Des. 791,618.

(30) **Foreign Application Priority Data**

Jun. 10, 2015 (EM) 001435762-01-0011

(51) **LOC (11) Cl.** **10-01**

(52) **U.S. Cl.**
USPC **D10/24**

(58) **Field of Classification Search**

USPC D10/1, 2, 5, 6, 8, 11, 24–29, 44, 55;
D21/400, 405; D99/5; D11/93, 132;
D14/214, 388, 433
CPC G04B 25/06; G04B 19/00; G04B 19/04;
G04B 19/06; G04B 47/044; G04B
47/046; G04B 47/048
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,041,177 A * 10/1912 Schmidt G04B 25/06
368/272
D43,593 S * 2/1913 Fischer D10/2

D46,008 S 6/1914 Shure
D94,829 S 3/1935 Gottlieb
2,054,677 A * 9/1936 Lux G04B 25/06
368/229
D158,642 S 5/1950 Braunberger
2,574,704 A * 11/1951 Paul G04B 25/06
368/272
D199,576 S * 11/1964 Stubbmann D10/7
D234,190 S * 1/1975 Daher D10/1
3,918,249 A 11/1975 Masuyama
D245,396 S * 8/1977 Creamer D11/133
4,098,068 A 4/1978 Masuyama
D259,923 S * 7/1981 Chavana D10/6
D260,374 S 8/1981 Umanoff

(Continued)

FOREIGN PATENT DOCUMENTS

CH 1459561 A4 * 8/1964 G04B 19/04
CN 201630059818 * 3/2016

(Continued)

Primary Examiner — Sheryl Lane

Assistant Examiner — Samantha N Wood

(74) *Attorney, Agent, or Firm* — Volpe and Koenig, P.C.


(57) **CLAIM**

The ornamental design for a clock, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of a clock in accordance with my design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a rear elevational view thereof.
The broken lines represent parts of the clock that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D295,384 S 4/1988 Apker
 D318,429 S 7/1991 Ikeya et al.
 D344,027 S 2/1994 Shimamura
 D346,116 S * 4/1994 Godinger D10/26
 D361,518 S * 8/1995 Petruzzi D10/15
 D364,823 S 12/1995 Stewart
 D407,323 S * 3/1999 Holt D10/6
 D438,805 S 3/2001 Leykekmhakher et al.
 D443,533 S 6/2001 Siroky
 D460,379 S * 7/2002 Raviv D11/91
 D467,818 S 12/2002 Chan
 D470,188 S * 2/2003 Wells D20/30
 D473,145 S 4/2003 Chang
 D523,354 S 6/2006 Li
 D555,014 S 11/2007 Uno et al.
 D577,743 S * 9/2008 Liu D14/496
 7,477,574 B2 1/2009 Takiguchi
 D585,765 S 2/2009 Young
 D588,043 S 3/2009 Hardy

D588,476 S * 3/2009 Wehrly D10/40
 D598,786 S * 8/2009 Buchheim D10/6
 D629,002 S 12/2010 Bau
 D638,195 S 5/2011 Goldstein
 D645,468 S 9/2011 Skulina et al.
 D694,652 S * 12/2013 Tompkin D10/9
 D695,709 S 12/2013 Szymanski et al.
 D699,622 S 2/2014 Mulvoy et al.
 D700,527 S * 3/2014 Garrett D10/15
 D706,647 S * 6/2014 Jacques D10/124
 D712,284 S 9/2014 Parmigiani
 D725,492 S 3/2015 Pennington
 D727,174 S 4/2015 Pennington
 D734,291 S * 7/2015 Wong D14/171
 D754,102 S 4/2016 Sun
 2009/0056483 A1 3/2009 Tsai

FOREIGN PATENT DOCUMENTS

CN 201630309086 * 7/2016
 DE 2711786 A1 * 10/1977 G04B 25/06

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7