



US00D816731S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,731 S**
Diebold et al. (45) **Date of Patent:** **** May 1, 2018**

(54) **OPERATOR STATION PILLAR**
(71) Applicant: **Deere & Company**, Moline, IL (US)
(72) Inventors: **Elizabeth A. Diebold**, Dubuque, IA (US); **Daniel R. Klein**, Peosta, IA (US); **Amy Wessel**, Edgewood, IA (US); **Thomas Ward**, Ventura, CA (US)
(73) Assignee: **Deere & Company**, Moline, IL (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/605,191**
(22) Filed: **May 24, 2017**
(51) **LOC (11) Cl.** **15-03**
(52) **U.S. Cl.**
USPC **D15/28; D15/17**
(58) **Field of Classification Search**
USPC D15/17, 28, 14, 15, 22-26, 31, 33;
D12/192; 180/69.24, 69.2, 69.21, 90,
180/89.12, 900; 296/70, 30, 72, 191,
296/192, 193.03
CPC B62D 49/00; B60K 37/00; B60K 37/02;
B60K 37/04; B60K 2350/928; B60Y
2200/22
See application file for complete search history.

D585,462 S * 1/2009 Smith D15/28
D594,885 S * 6/2009 Kuwae D15/17
D636,794 S * 4/2011 Ono D15/28
D645,482 S * 9/2011 Magnusson D15/28
D652,063 S * 1/2012 Takeuchi D15/28
D652,433 S * 1/2012 Takeuchi D15/28
D656,966 S * 4/2012 Iwata D15/28
D667,026 S * 9/2012 Stimel, Jr. D15/28
D667,027 S * 9/2012 Stimel, Jr. D15/28
D667,849 S * 9/2012 Stimel, Jr. D15/28
D683,369 S * 5/2013 Takagi D15/17
D685,006 S * 6/2013 Hagura D15/17
D687,075 S * 7/2013 Richard D15/28
D687,469 S * 8/2013 Takagi D15/17
D692,466 S * 10/2013 Takagi D15/17
D697,534 S * 1/2014 Uchida D15/17
D707,722 S * 6/2014 Higashikawa D15/15
D718,343 S * 11/2014 Carter D15/28
D727,978 S * 4/2015 Higuchi D15/28
D745,573 S * 12/2015 Moore D15/17
D754,211 S * 4/2016 Moore D15/28

(Continued)

Primary Examiner — Mark Goodwin

(57) **CLAIM**


The ornamental design for an operator station pillar, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an operator station pillar showing our new design.
FIG. 2 is a left side view thereof.
FIG. 3 is a right side view thereof.
FIG. 4 is a front view thereof.
FIG. 5 is a rear view thereof.
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken line representations of environmental structure in FIGS. 1-7 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
D256,018 S * 7/1980 Stone D12/192
D407,415 S * 3/1999 Flatau D15/28
D427,613 S * 7/2000 Altmann D15/28
D449,056 S * 10/2001 Westimayer D15/28
D459,734 S * 7/2002 Hohnl D15/28
D471,564 S * 3/2003 Hohnl D15/28
D484,894 S * 1/2004 McCord D15/28
D549,739 S * 8/2007 Stephens D15/28
D584,321 S * 1/2009 Matsumoto D15/17



(56)

References Cited

U.S. PATENT DOCUMENTS

D760,813 S * 7/2016 Roemer D15/28
D777,216 S * 1/2017 Allemeier D15/28
D777,801 S * 1/2017 Furuki D15/28

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7