



US00D816733S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,733 S**
Diebold et al. (45) **Date of Patent:** **** May 1, 2018**

(54) **OPERATOR STATION SKIRT**

(71) Applicant: **Deere & Company**, Moline, IL (US)

(72) Inventors: **Elizabeth A. Diebold**, Dubuque, IA (US); **Daniel R. Klein**, Peosta, IA (US); **Amy Wessel**, Edgewood, IA (US); **Thomas Ward**, Ventura, CA (US)

(73) Assignee: **Deere & Company**, Moline, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/605,152**

(22) Filed: **May 24, 2017**

(51) **LOC (11) Cl.** **15-03**

(52) **U.S. Cl.**
 USPC **D15/30**

(58) **Field of Classification Search**
 USPC D15/28, 30, 31, 22–26; D34/37;
 180/89.11, 89.12, 89.13, 89.19, 900
 CPC .. B66C 13/54; E02F 9/16; E02F 9/163; E02F
 9/06; B62D 33/0617; B62D
 49/00–49/085; B62D 33/06–33/073; B60J
 7/00; B60J 1/004; B60J 1/02; B60J 1/04;
 B60J 5/0487
 See application file for complete search history.

(56) **References Cited**
 U.S. PATENT DOCUMENTS

D398,616 S *	9/1998	Kwak	D15/30
D463,461 S *	9/2002	Yanagida	D15/30
D523,029 S *	6/2006	Crawford	D15/30
D531,647 S *	11/2006	Stender	D15/30
D541,825 S *	5/2007	Pettersson	D15/30
D541,826 S *	5/2007	Brush	D15/30
D544,889 S *	6/2007	Milburn, Jr.	D15/30
D561,205 S *	2/2008	Pettersson	D15/30
D579,028 S *	10/2008	VanDeVeer	D15/30
D603,881 S *	11/2009	Tamplain, III	D15/30

D605,207 S *	12/2009	Menges	D15/30
D614,674 S *	4/2010	Hobenshield	D15/30
D625,741 S *	10/2010	Seidel	D15/30
D635,156 S *	3/2011	Berning	D15/30
D636,795 S *	4/2011	Yamamoto	D15/28
D637,630 S *	5/2011	Yamamoto	D15/30
D660,879 S *	5/2012	Laugerette	D15/30
D660,881 S *	5/2012	Bohme	D15/30
D667,851 S *	9/2012	Warr	D15/30
D668,693 S *	10/2012	Ringer	D15/30
D670,745 S *	11/2012	Warr	D15/30
D671,566 S *	11/2012	Fang	D15/30
D684,607 S *	6/2013	Hagura	D15/30
D687,868 S *	8/2013	Watson	D15/30
D707,728 S *	6/2014	Imashige	D15/30
D714,837 S *	10/2014	Jacobsthal	D15/30
D720,370 S *	12/2014	Carter	D15/30
D736,270 S *	8/2015	Jackson	D15/30
D749,148 S *	2/2016	Darekar	D15/30
D762,248 S *	7/2016	Steinhardt	D15/30
D774,111 S *	12/2016	Underhill	D15/30

(Continued)

Primary Examiner — Mark Goodwin


(57) **CLAIM**

The ornamental design for an operator station skirt, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an operator station skirt showing our new design.
 FIG. 2 is a left side view thereof.
 FIG. 3 is a right side view thereof.
 FIG. 4 is a front view thereof.
 FIG. 5 is a rear view thereof.
 FIG. 6 is a top view thereof; and,
 FIG. 7 is a bottom view thereof.
 The broken line representations of environmental structure in FIGS. 1-7 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D775,244 S	*	12/2016	Hart	D15/30
D777,805 S	*	1/2017	Steinhardt	D15/30
D780,231 S	*	2/2017	Saari	D15/30
D780,232 S	*	2/2017	Saari	D15/30
D780,235 S	*	2/2017	Kim	D15/30
D784,425 S	*	4/2017	Cooksey	D15/30

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7