



US00D816821S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,821 S**
Tajima et al. (45) **Date of Patent:** **** May 1, 2018**

(54) **HEAT EXCHANGER FOR AN AIR CONDITIONER**

(71) Applicant: **TOSHIBA CARRIER CORPORATION**, Kawasaki-shi, Kanagawa (JP)

(72) Inventors: **Yuusuke Tajima**, Fuji (JP); **Koichi Kodani**, Fuji (JP)

(73) Assignee: **TOSHIBA CARRIER CORPORATION**, Kanagawa (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/575,118**

(22) Filed: **Aug. 22, 2016**

(30) **Foreign Application Priority Data**

Sep. 26, 2014 (JP) 2014-021397
Sep. 26, 2014 (JP) 2014-021398

(51) **LOC (11) Cl.** **23-04**

(52) **U.S. Cl.**
USPC **D23/354**

(58) **Field of Classification Search**
USPC D23/314, 317, 324-333, 335, 341, 342, D23/351, 353-357, 359, 364-366, 370, D23/375, 379, 385, 386, 388, 393, 499
CPC F24F 1/00; F24F 1/02; F24F 1/08; F24F 1/42; F24F 1/46; F24F 1/60; F24F 1/0003; F24F 1/007; F24F 1/0011; F24F 3/044; F24F 3/048; F24F 3/16; F24F 7/00; F24F 7/04; F24F 12/001; F24F 12/006; F24F 13/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D310,712 S 9/1990 Del Fresno
D357,529 S * 4/1995 De'Longhi D23/335

D398,388 S * 9/1998 Aihara 23/351
D421,494 S * 3/2000 Rossman D23/332
D443,349 S * 6/2001 Nonaka 23/351
D451,590 S * 12/2001 Webb D23/393
D481,783 S * 11/2003 Fok D23/328
D493,215 S * 7/2004 Asaoka 23/351
D495,407 S * 8/2004 Asaoka 23/351
D497,983 S * 11/2004 Nanjo 23/351
D499,176 S * 11/2004 Motegi D23/332
D508,118 S * 8/2005 Motonishi 23/351
D532,503 S * 11/2006 Shimizu 23/351
D532,889 S 11/2006 Shimizu
D534,267 S * 12/2006 Andersen D23/370
D553,725 S * 10/2007 Shimizu D23/351
D559,370 S * 1/2008 Kato D23/354
D565,165 S * 3/2008 Calkins D23/370

(Continued)

Primary Examiner — Susan E Krakower
Assistant Examiner — L. A. Grabenstetter
(74) *Attorney, Agent, or Firm* — Westerman, Hattori, Daniels & Adrian, LLP


(57) **CLAIM**

The ornamental design for a heat exchanger for an air conditioner, as shown and described.

DESCRIPTION

FIG. 1 is a front, right side, and top perspective view of a heat exchanger for an air conditioner showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a rear view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines depict unclaimed portions of the heat exchanger for an air conditioner.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D579,536	S	*	10/2008	Oh	D23/351
D584,388	S	*	1/2009	Chooji	D23/351
D597,640	S	*	8/2009	Israel	D23/335
D597,641	S	*	8/2009	Israel	D23/335
D606,645	S		12/2009	Orihara et al.		
D627,041	S	*	11/2010	Fournier	D23/314
D683,011	S	*	5/2013	Chen	D23/370
D683,834	S		6/2013	Katou		
D683,835	S	*	6/2013	Katou	D23/351
D683,841	S	*	6/2013	McNicholas	D23/328
2006/0130516	A1		6/2006	Sugiyama et al.		
2008/0039005	A1		2/2008	Coven		
2010/0294466	A1		11/2010	Shimaoka et al.		
2010/0319380	A1		12/2010	Mochizuki et al.		
2011/0000653	A1		1/2011	Nakagawa et al.		
2011/0126567	A1		6/2011	Asanuma et al.		
2011/0225992	A1		9/2011	Lee et al.		
2012/0167608	A1		7/2012	Bae et al.		
2013/0043007	A1		2/2013	Hong		

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

