



US00D816847S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,847 S**
Gobrecht et al. (45) **Date of Patent:** **** May 1, 2018**

- (54) **MEDICAL DEVICE INSERTER**
- (71) Applicant: **DexCom, Inc.**, San Diego, CA (US)
- (72) Inventors: **Eric Gobrecht**, Madison, WI (US);
Randall Scott Koplin, Middleton, WI (US);
Kyle Neuser, Madison, WI (US);
Ryan Everett Schoonmaker,
Oceanside, CA (US)
- (73) Assignee: **DexCom, Inc.**, San Diego, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/611,512**
- (22) Filed: **Jul. 21, 2017**

D439,657 S *	3/2001	Bridle	D24/113
D479,324 S *	9/2003	Greaney	D24/111
D506,007 S	6/2005	Best	
D564,087 S	3/2008	Yodfat et al.	
D581,533 S	11/2008	Ruf et al.	
D612,484 S	3/2010	Yodfat	
D619,245 S	7/2010	Moga et al.	
D638,534 S *	5/2011	Moga	D24/113
D673,678 S	1/2013	Hong	
D676,549 S	2/2013	Lovell et al.	
D741,995 S *	10/2015	Prasser	D24/113
D760,374 S *	6/2016	Nagar	D24/108
9,415,159 B2	8/2016	Gyrn	
D787,680 S *	5/2017	Donohue	D24/169
2004/0138588 A1	7/2004	Saikley et al.	

(Continued)

Primary Examiner — Anhdao Doan
(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear LLP

Related U.S. Application Data

- (62) Division of application No. 29/532,765, filed on Jul. 9, 2015, now Pat. No. Des. 794,800.
- (51) **LOC (11) Cl.** **24-01**
- (52) **U.S. Cl.**
USPC **D24/169**
- (58) **Field of Classification Search**
USPC D24/107, 108, 111, 112, 113, 147, 169,
D24/186, 216, 223, 231; D10/78, 81
CPC G01N 33/66; G01N 33/49; G01N 33/493;
A61B 5/14532; A61B 2560/0412; A61B
2560/0443; A61B 2560/0462; A61B
5/6833; A61B 5/4839; A61M 25/0606;
A61M 25/0631; A61M 2005/1585; A61M
5/14248
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D405,524 S * 2/1999 Falk D24/113
- D425,990 S 5/2000 Gravel et al.


(57) **CLAIM**

The ornamental design for a medical device inserter, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an embodiment of a medical device inserter;
FIG. 2 is a bottom perspective view of the inserter of FIG. 1;
FIG. 3 is a front view of the inserter of FIG. 1;
FIG. 4 is a rear view of the inserter of FIG. 1;
FIG. 5 is a right side view of the inserter of FIG. 1;
FIG. 6 is a left side view of the inserter of FIG. 1;
FIG. 7 is a top view of the inserter of FIG. 1; and,
FIG. 8 is a bottom view of the inserter of FIG. 1.
The broken lines immediately adjacent the shaded areas represent the bounds of the claim, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0203966	A1 *	8/2007	Brauker	A61B 5/14532
				708/200
2011/0046456	A1	2/2011	Hordum et al.	
2011/0082484	A1 *	4/2011	Saravia	A61B 5/14532
				606/167
2011/0160669	A1	6/2011	Gyrn	
2012/0136299	A1	5/2012	Constantineau et al.	
2013/0267811	A1	10/2013	Pryor et al.	
2014/0058360	A1 *	2/2014	Schoonmaker	A61M 5/158
				604/510
2014/0276576	A1	9/2014	Cole et al.	
2016/0157759	A1	6/2016	Yang	
2016/0287150	A1	10/2016	Yu	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8