



US00D816878S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,878 S**
Vos et al. (45) **Date of Patent:** **** May 1, 2018**

(54) **LUMINAIRE** 2,860,235 A * 11/1958 Daum F21S 8/088
362/267

(71) Applicant: **PHILIPS LIGHTING HOLDING** D193,573 S * 9/1962 Goodman D26/137
B.V., Eindhoven (NL) 3,145,934 A * 8/1964 Guggemos F21S 8/088
362/382

(72) Inventors: **Herman Vos, Eindhoven (NL); Noud** D235,916 S * 7/1975 Nagel D26/122
Johannes Fleuren, Baarlo (NL); Mark 4,626,852 A * 12/1986 Dodge B63B 51/02
Johannes Antonius Verhoeven, Deurne 136/291
(NL); **Johannes Maria Thijssen, Best** D554,791 S * 11/2007 Galipeau D26/67
(NL); **Joris Jan Vrechen, Waalre (NL);** D572,398 S * 7/2008 Zhang D26/68
Fernando Munoz, Eindhoven (NL); 7,478,921 B1 * 1/2009 Kotovsky F21V 11/12
Marko Macura, Eindhoven (NL); 362/225
Jean-Francois Laporte, Laval (CA); D590,086 S * 4/2009 Laporta D26/67
Jean-Francois Duquette, Kirkland D660,492 S * 5/2012 Williams D26/68
(CA); **Jonathan Hardy, Laval (CA)** D784,590 S * 4/2017 Galipeau D26/68
2007/0253184 A1 * 11/2007 Tamborini F21S 8/083
362/84
2007/0285912 A1 * 12/2007 Lin F21S 8/088
362/4

(73) Assignee: **PHILIPS LIGHTING HOLDING**
B.V., Eindhoven (NL)

(**) Term: **15 Years**

(21) Appl. No.: **29/551,903**

(22) Filed: **Jan. 18, 2016**

(51) **LOC (11) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/67; D26/137**

(58) **Field of Classification Search**
USPC D26/63, 67, 68, 128, 137
CPC F21S 8/003; F21S 8/08; F21S 8/081; F21S
8/083; F21S 9/03; F21S 9/032; F21S
9/035; F21S 9/037; F21V 21/0824; F21V
21/30; F21W 2121/004; F21W 2131/105;
F21W 2131/109

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D25,511 S * 5/1896 Marsh D26/137
D103,213 S * 2/1937 Burger D26/128

(Continued)

Primary Examiner — Clare E Heflin



(57) **CLAIM**

The ornamental design for a luminaire, as shown.

DESCRIPTION

FIG. 1 is a bottom perspective view showing my design;
FIG. 2 is a top perspective view showing my design;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The dash-dot-dash broken lines shown represent the bounds
of the claim and forms no part thereof and the dashed broken
lines shown therein illustrate portions of the luminaire that
form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0316747	A1 *	12/2008	Lac	F21V 11/02 362/290
2009/0040749	A1 *	2/2009	Burgei, Jr.	F21S 8/028 362/183
2011/0032695	A1 *	2/2011	Cumberland	F21S 8/036 362/183
2012/0182732	A1 *	7/2012	Moeck	F21S 8/088 362/235
2013/0094198	A1 *	4/2013	Lee	F21L 4/00 362/217.05
2013/0094208	A1 *	4/2013	Gill	F21S 8/088 362/235
2015/0211694	A1 *	7/2015	Camenzuli	F21L 4/08 362/183
2015/0285460	A1 *	10/2015	Langhart	F21V 7/0025 362/304

* cited by examiner




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8