



US00D816962S

(12) **United States Design Patent** (10) **Patent No.:** **US D816,962 S**
Ellis (45) **Date of Patent:** **** May 8, 2018**

(54) **FOOTWEAR SOLE**

(71) Applicant: **Frampton E. Ellis**, Jasper, FL (US)

(72) Inventor: **Frampton E. Ellis**, Jasper, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/609,445**

(22) Filed: **Jun. 30, 2017**

(51) **LOC (11) Cl.** **02-04**

(52) **U.S. Cl.**
 USPC **D2/951**

(58) **Field of Classification Search**
 USPC D2/902, 906, 908, 916, 918, 925,
 D2/946-962, 977; 36/3 B, 22 R, 24.5,
 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
 CPC A43B 13/00; A43B 13/02; A43B 13/023;
 A43B 13/026; A43B 13/04; A43B 13/08;
 A43B 13/10; A43B 13/12; A43B 13/14;
 A43B 13/141; A43B 13/143; A43B
 13/16; A43B 13/18; A43B 13/181; A43B
 13/187; A43B 13/189; A43B 13/20; A43B
 13/22; A43B 13/223; A43B 13/24; A43B
 13/28; A43B 13/30; A43B 13/32; A43B
 13/34; A43B 13/36



See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D329,536 S 9/1992 Lucas
 D330,800 S 11/1992 Lucas
 D332,516 S 1/1993 Middleton
 D332,517 S 1/1993 Middleton
 5,572,805 A * 11/1996 Giese A43B 13/12
 36/103
 5,909,948 A 6/1999 Ellis, III
 D418,666 S * 1/2000 Brown D2/961
 D420,785 S 2/2000 Perez
 D428,238 S * 7/2000 Price D2/903
 6,115,941 A 9/2000 Ellis, III
 6,115,945 A 9/2000 Ellis, III
 6,295,744 B1 10/2001 Ellis, III
 D449,918 S 11/2001 Boncutter

6,487,795 B1 12/2002 Ellis, III
 D474,589 S * 5/2003 Dykes D2/961
 6,584,706 B1 7/2003 Ellis, III
 6,609,312 B1 8/2003 Ellis, III
 6,629,376 B1 10/2003 Ellis, III
 6,675,498 B1 1/2004 Ellis, III
 D485,972 S 2/2004 Magro
 6,789,331 B1 9/2004 Ellis, III
 D498,902 S 11/2004 Adams
 6,810,606 B1 11/2004 Ellis, III
 7,174,658 B2 2/2007 Ellis, III
 7,243,443 B2 7/2007 Swigart
 D555,341 S * 11/2007 Vasyli D2/961
 7,334,350 B2 2/2008 Ellis, III
 7,334,356 B2 2/2008 Ellis, III
 D563,648 S 3/2008 Belley et al.
 7,562,468 B2 7/2009 Ellis
 D608,993 S 2/2010 McClaskie
 D612,589 S 3/2010 Kovacs
 7,793,430 B2 9/2010 Ellis
 D656,303 S * 3/2012 Muller D2/947
 D659,969 S * 5/2012 Vattes D2/961
 D663,107 S * 7/2012 Fuerst D2/947
 8,291,614 B2 10/2012 Ellis
 D688,852 S * 9/2013 Garvie D2/918
 D693,548 S 11/2013 Yudelowitz
 D699,424 S 2/2014 Hamm
 D699,425 S * 2/2014 Coleman D2/961
 D722,754 S * 2/2015 Vasyli D2/961
 D723,787 S * 3/2015 Vasyli D2/961
 D731,766 S 6/2015 Ellis
 D739,128 S * 9/2015 Vasyli D2/947
 D747,085 S * 1/2016 Piontkowski D2/961
 D758,057 S * 6/2016 Zlatanovski D2/947
 D770,743 S * 11/2016 Vasyli D2/961
 D782,791 S * 4/2017 Silverstein D2/947
 D783,246 S * 4/2017 Chang D2/947
 D783,956 S * 4/2017 Mitchell D2/916
 D787,167 S 5/2017 Ellis
 D790,173 S * 6/2017 Raasch D2/947
 D793,681 S * 8/2017 Lombardi D2/947
 D801,647 S * 11/2017 Mitchell D2/916
 D801,662 S * 11/2017 Manolian D2/961
 2004/0216330 A1 11/2004 Swigart
 2005/0217141 A1 10/2005 Cobian
 2012/0174434 A1 7/2012 Ellis
 2012/0210603 A1 8/2012 Ellis
 2012/0226353 A1 9/2012 Ellis
 2012/0324763 A1 12/2012 Ellis
 2013/0146407 A1 6/2013 Ellis
 2013/0152282 A1 6/2013 Ellis
 2013/0153346 A1 6/2013 Ellis
 2013/0157003 A1 6/2013 Ellis



2013/0160322 A1 6/2013 Ellis
 2014/0310992 A1 10/2014 Shalom et al.
 2014/0345167 A1 11/2014 Al-Ani
 2016/0157551 A1* 6/2016 Goldberg A43B 5/002
 36/25 R

OTHER PUBLICATIONS

Complete File History for D U.S. Appl. No. 29/452,002.
 Complete File History for D U.S. Appl. No. 29/520,675.

* cited by examiner

Primary Examiner — T. Chase Nelson
 (74) *Attorney, Agent, or Firm* — Mendelsohn Dunleavy,
 P.C.

(57) CLAIM

The ornamental design for a footwear sole, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of one embodiment of the footwear sole;
 FIG. 2 is an anterior (front) view of the footwear sole of FIG. 1;
 FIG. 3 is a posterior (rear) view of the footwear sole of FIG. 1;
 FIG. 4 is a lateral view of the footwear sole of FIG. 1;
 FIG. 5 is a medial view of the footwear sole of FIG. 1;
 FIG. 6 is a top view of the footwear sole of FIG. 1;
 FIG. 7 is a bottom view of the footwear sole of FIG. 1;
 FIG. 8 is a cross-sectional view of the footwear sole of FIG. 1 taken in the direction of the arrows along the line 8-8 shown in FIG. 6;
 FIG. 9 is a cross-sectional view of the footwear sole of FIG. 1 taken in the direction of the arrows along the line 9-9 shown in FIG. 6;
 FIG. 10 is a cross-sectional view of the footwear sole of FIG. 1 taken in the direction of the arrows along the line 10-10 shown in FIG. 6;
 FIG. 11 is a perspective view of a second embodiment of the design of the footwear sole. The claim of the footwear sole shown in FIG. 11 is the same in scope and structure as the footwear sole shown in FIGS. 1-10 except that the claimed design of FIG. 11 differs from the claimed design of FIGS. 1-10 in that the unclaimed edges shown in broken line in FIG. 11 are claimed in FIGS. 1-10;
 FIG. 12 is a perspective view of a third embodiment of the footwear sole;
 FIG. 13 is an anterior (front) view of the footwear sole of FIG. 12;
 FIG. 14 is a posterior (rear) view of the footwear sole of FIG. 12;
 FIG. 15 is a lateral view of the footwear sole of FIG. 12;
 FIG. 16 is a medial view of the footwear sole of FIG. 12;
 FIG. 17 is a top view of the footwear sole of FIG. 12;
 FIG. 18 is a bottom view of the footwear sole of FIG. 12;
 FIG. 19 is a cross-sectional view of the footwear sole of FIG. 12 taken in the direction of the arrows along the line 19-19 shown in FIG. 17;
 FIG. 20 is a cross-sectional view of the footwear sole of FIG. 12 taken in the direction of the arrows along the line 20-20 shown in FIG. 17;

FIG. 21 is a cross-sectional view of the footwear sole of FIG. 12 taken in the direction of the arrows along the line 21-21 shown in FIG. 17;
 FIG. 22 is a perspective view of a fourth embodiment of the design of the footwear sole. The claim of the footwear sole shown in FIG. 22 is the same in scope and structure as the footwear sole shown in FIGS. 12-21 except that the claimed design of FIG. 22 differs from the claimed design of FIGS. 12-21 in that the unclaimed edges shown in broken line in FIG. 22 are claimed in FIGS. 12-21;
 FIG. 23 is perspective view of the footwear sole of the first embodiment shown with alternate environmental structure. The footwear sole of FIG. 23 is fitted with a different upper than the footwear sole of FIG. 1. As a result, certain views of the footwear sole of FIGS. 23-32 are different from the corresponding views of the footwear sole of FIGS. 1-11 because certain features of the footwear sole that can be seen in FIGS. 1-11 are obscured from view by the presence of the upper of FIG. 23 when viewed in FIGS. 23-32 (e.g. among others in the top view of FIG. 28);
 FIG. 24 is an anterior (front) view of the footwear sole of FIG. 23;
 FIG. 25 is a posterior (rear) view of the footwear sole of FIG. 23;
 FIG. 26 is a lateral view of the footwear sole of FIG. 23;
 FIG. 27 is a medial view of the footwear sole of FIG. 23;
 FIG. 28 is a top view of the footwear sole of FIG. 23;
 FIG. 29 is a bottom view of the footwear sole of FIG. 23;
 FIG. 30 is a cross-sectional view of the footwear sole of FIG. 23 taken in the direction of the arrows along the line 30-30 shown in FIG. 28;
 FIG. 31 is a cross-sectional view of the footwear sole of FIG. 23 taken in the direction of the arrows along the line 31-31 shown in FIG. 28;
 FIG. 32 is a cross-sectional view of the footwear sole of FIG. 23 taken in the direction of the arrows along the line 32-32 shown in FIG. 28;
 FIG. 33 is perspective view of the footwear sole of the third embodiment shown with alternate environmental structure. The footwear sole of FIG. 33 is fitted with a different upper than the footwear sole of FIG. 12. As a result, certain views of the footwear sole of FIGS. 33-42 are different from the corresponding views of the footwear sole of FIGS. 12-22 because certain features of the footwear sole that can be seen in FIGS. 12-22 are obscured from view by the presence of the upper of FIG. 33 when viewed in FIGS. 33-42 (e.g. among others in the top view of FIG. 38);
 FIG. 34 is an anterior (front) view of the footwear sole of FIG. 33;
 FIG. 35 is a posterior (rear) view of the footwear sole of FIG. 33;
 FIG. 36 is a lateral view of the footwear sole of FIG. 33;
 FIG. 37 is a medial view of the footwear sole of FIG. 33;
 FIG. 38 is a top view of the footwear sole of FIG. 33;
 FIG. 39 is a bottom view of the footwear sole of FIG. 33;
 FIG. 40 is a cross-sectional view of the footwear sole of FIG. 33 taken in the direction of the arrows along the line 40-40 shown in FIG. 38;
 FIG. 41 is a cross-sectional view of the footwear sole of FIG. 33 taken in the direction of the arrows along the line 41-41 shown in FIG. 38; and,
 FIG. 42 is a cross-sectional view of the footwear sole of FIG. 33 taken in the direction of the arrows along the line 42-42 shown in FIG. 38.

In FIGS. **1-42**, the consistent-length broken lines depict unclaimed environmental structure as well as unclaimed portions of the footwear sole in FIGS. **11** and **22**. The alternating-length broken lines seen in FIGS. **8-10**, **19-21**, **30-32** and **40-42** depict the boundaries of the claimed design. The broken lines and structures they depict form no part of the claimed design. The embodiments of the footwear sole shown in FIGS. **1-42** are for a left foot. Embodiments of the footwear sole for a right foot are mirror images of the embodiments shown in FIGS. **1-42** about a sagittal plane of a human body.

1 Claim, 30 Drawing Sheets




FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 13




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22



FIG. 23




FIG. 25




FIG. 24




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 31




FIG. 30




FIG. 32




FIG. 33




FIG. 35




FIG. 34




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 41




FIG. 40




FIG. 42