



US00D817187S

(12) **United States Design Patent** (10) **Patent No.:** **US D817,187 S**
Poandl (45) **Date of Patent:** **** May 8, 2018**

- (54) **TABLE TOP CLOCK**
- (71) Applicant: **SDI Technologies, Inc.**, Rahway, NJ (US)
- (72) Inventor: **Mary Beth Poandl**, Red Bank, NJ (US)
- (73) Assignee: **SDI TECHNOLOGIES, INC.**, Rahway, NJ (US)

| | | | |
|--------------|--------|---------------|---------|
| D666,577 S * | 9/2012 | Skurdal | D14/171 |
| D676,413 S * | 2/2013 | Poandl | D14/171 |
| D710,819 S * | 8/2014 | Poandl | D14/171 |
| D726,682 S * | 4/2015 | Kim | D14/170 |
| D734,291 S * | 7/2015 | Wong | D14/171 |
| D739,376 S * | 9/2015 | Asao | D14/204 |
| D739,845 S * | 9/2015 | Hwang | D14/214 |
| D780,712 S * | 3/2017 | Poandl | D14/171 |
| D782,440 S * | 3/2017 | Holzer | D14/171 |
| D795,216 S * | 8/2017 | Poandl | D14/170 |

(**) Term: **15 Years**

(21) Appl. No.: **29/598,466**

(22) Filed: **Mar. 27, 2017**

(51) **LOC (11) Cl.** **10-01**

(52) **U.S. Cl.**
USPC **D10/15**; D14/171; D10/2

(58) **Field of Classification Search**
 USPC D10/1-5, 15, 20-28, 30-32, 39, 40, 42, D10/128-130; D14/131, 157, 168-171, D14/198-199, 203.3-203.7, 217, 344, D14/496, 498-511; D20/20; D23/235; D26/24; D99/28
 CPC G04B 17/00; G04B 19/223; G04B 19/24; G04B 37/00; G04B 45/0076; G04B 45/0053; G04C 1/04; G04C 5/00; G04C 3/00; G04C 3/008; G04C 3/027; G04C 23/02; H04B 1/06; H04B 1/08; H04M 1/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|--------------|--------|---------------|---------|
| D577,743 S * | 9/2008 | Liu | D14/496 |
| D600,251 S * | 9/2009 | Poandl | D14/168 |
| D614,200 S * | 4/2010 | Skurdal | D14/496 |
| D622,260 S * | 8/2010 | Poandl | D10/2 |
| D642,154 S * | 7/2011 | Poandl | D14/171 |
| D656,919 S * | 4/2012 | Skurdal | D14/171 |

* cited by examiner

Primary Examiner — Sandra S Snapp

Assistant Examiner — Katherine Glennon

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP

(57) **CLAIM**

The ornamental design for a table top clock, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view of a table top clock according to my new design;
 FIG. 2 is a front view of the design of FIG. 1, illustrating a clock-viewing window in an upper portion;
 FIG. 3 is a rear view of the design of FIG. 1;
 FIG. 4 is a left side view of the design of FIG. 1;
 FIG. 5 is a right side view of the design of FIG. 1;
 FIG. 6 is a top view of the design of FIG. 1; and,
 FIG. 7 is a bottom view of the design of FIG. 1.

The dash-dash broken lines, including the branding, the feet, the rear surface and the bottom surface, illustrate environmental structure that form no part of the claimed design, and are intended to illustrate optional environmental features that can be omitted, with the underlying surface being continuous and uninterrupted.

Conventional contour lines are illustrated for purposes of highlighting the solid-rendering, but form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7