



US00D817502S

(12) **United States Design Patent** (10) **Patent No.:** **US D817,502 S**
Green (45) **Date of Patent:** **** *May 8, 2018**

(54) DEVICE TO CLOSE WOUNDS	D458,687 S * 6/2002 Dale D24/189
	D493,230 S * 7/2004 Liedtke D24/189
(71) Applicant: William J. Green , Thousand Oaks, CA (US)	D572,824 S * 7/2008 Propp D24/189
	D576,282 S * 9/2008 Yanaki D24/189
	7,619,130 B2 * 11/2009 Nielsen A61F 13/0203 602/41
(72) Inventor: William J. Green , Thousand Oaks, CA (US)	D620,123 S * 7/2010 Igwebuike D24/189
	D679,402 S * 4/2013 Conrad-Vlasak D24/189
	D679,403 S * 4/2013 Heinecke D24/189
(73) Assignee: PRECISION MEDICAL DEVICES, LLC , Thousand Oaks, CA (US)	D683,858 S * 6/2013 Smith D24/189
	D687,555 S * 8/2013 Peterson D24/189
	D688,377 S * 8/2013 Heinecke D24/189
(*) Notice: This patent is subject to a terminal disclaimer.	D690,425 S * 9/2013 Heinecke D24/189
	D693,010 S * 11/2013 Mosa D24/189
(**) Term: 15 Years	D695,901 S * 12/2013 Heinecke D24/189
	D723,176 S * 2/2015 Igwebuike D24/189
	D723,177 S * 2/2015 Igwebuike D24/189
(21) Appl. No.: 29/582,735	D729,391 S * 5/2015 Igwebuike D24/189
	2002/0087106 A1 * 7/2002 Unger A61F 13/0203 602/48

(Continued)

Primary Examiner — Michael A. Pratt
Assistant Examiner — Michelle E Wilson
(74) *Attorney, Agent, or Firm* — Law Office of David Hong

Related U.S. Application Data

(63) Continuation of application No. 29/491,843, filed on May 27, 2014, now Pat. No. Des. 770,631.
(51) **LOC (11) Cl.** **24-04**
(52) **U.S. Cl.**
USPC **D24/189**
(58) **Field of Classification Search**
USPC D24/189, 190–192
CPC A61K 9/0014; A61K 47/00; A61L 26/00;
A61F 13/0203; A61F 13/0206; A61F 13/0209; A61F 13/023; A61F 13/0233;
G09F 2003/0201; G09F 2003/0208
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a device to close wounds, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a device to close wounds, wherein broken lines are on the tabs.
FIG. 2 is a first side elevational view of the device in FIG. 1; the opposite side view being a mirror image;
FIG. 3 is a third side elevational view the device in FIG. 1; the opposite side view being a mirror image;
FIG. 4 is a top view of the device in FIG. 1; and,
FIG. 5 is a bottom view of the device in FIG. 1.
The broken lines represent portions of the structure that form no part of the claim.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D408,541 S * 4/1999 Dunshee D24/189
D409,754 S * 5/1999 Dunshee D24/189
D430,674 S * 9/2000 Dunshee D24/189
D454,955 S * 3/2002 Dunshee D24/189

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0138601 A1* 7/2004 Chalmers A61F 13/00017
602/41
2004/0241214 A1* 12/2004 Kirkwood A61F 13/0213
424/445
2005/0159694 A1* 7/2005 Berndt A61F 13/00025
602/48
2005/0159695 A1* 7/2005 Cullen A61L 15/28
602/48
2006/0003133 A1* 1/2006 Johnson A61F 13/023
428/40.1
2007/0003606 A1* 1/2007 Booher A61B 5/14539
424/448
2009/0082710 A1* 3/2009 Vitaris A61F 13/023
602/52
2009/0227968 A1* 9/2009 Vess A61F 13/02
604/313
2009/0234306 A1* 9/2009 Vitaris A61F 13/00063
604/304
2009/0234309 A1* 9/2009 Vitaris A61M 1/0049
604/313
2012/0165715 A1* 6/2012 Murphy A61F 13/023
602/54
2012/0197173 A1* 8/2012 Babitz A61F 13/0008
602/54
2012/0238932 A1* 9/2012 Atteia A61F 13/0276
602/52
2014/0058309 A1* 2/2014 Addison A61F 13/0203
602/44
2014/0107561 A1* 4/2014 Dorian A61M 37/00
604/23
2014/0358058 A1* 12/2014 Nelson A61F 13/00063
602/48

* cited by examiner

