



US00D817792S

(12) **United States Design Patent** (10) **Patent No.:** **US D817,792 S**
Geskin et al. (45) **Date of Patent:** **** May 15, 2018**

(54) **MOTION DETECTOR**

(71) Applicant: **Tyco Fire & Security GmbH**,
Neuhausen am Rheinfall (CH)

(72) Inventors: **Zohar Geskin**, Bnei Brak (IL); **Yigal Brodetsky**, Rishon Le Zion (IL); **Boris Zhevelev**, Rishon Le Zion (IL); **Yael Falk**, Yehud (IL)

(73) Assignee: **Tyco Fire & Security GmbH**,
Neuhausen am Rheinfall (CH)

(**) Term: **15 Years**

(21) Appl. No.: **29/571,126**

(22) Filed: **Jul. 14, 2016**

(30) **Foreign Application Priority Data**

Mar. 16, 2016 (IL) 58244

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70**

(58) **Field of Classification Search**

USPC D10/70

CPC .. G01P 13/00; G01P 13/0006; G01P 13/0013;
G01P 13/002; G01P 13/0026; G01P
13/0033; G01P 13/004; G01P 13/0046;
G01P 13/0053; G01P 13/006; G01P
13/0066; G01P 13/0073; G01P 13/008;
G01P 13/0086; G01P 13/0093; G08B
21/00; G08B 21/02; G08B 21/0202;
G08B 21/0205; G08B 21/0208; G08B
21/0211; G08B 21/0213; G08B 21/0216;
G08B 21/0219; G08B 21/0222; G08B
21/0225; G08B 21/0227; G08B 21/023;
G08B 21/0233; G08B 21/0236; G08B
21/0238; G08B 21/0241; G08B 21/0244;
G08B 21/0247; G08B 21/025; G08B
21/0252; G08B 21/0258; G08B 21/0261;
G08B 21/0263; G08B 21/0266; G08B

21/0269; G08B 21/0272; G08B 21/0275;
G08B 21/0277; G08B 21/028; G08B
21/0283; G08B 21/0286; G08B 21/0288;
G08B 21/0291; G08B 21/0194; G08B
21/0297; G08B 21/04; G08B 21/0407;
G08B 21/0415; G08B 21/0423; G08B
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,936,524 A * 8/1999 Zhevelev G01S 7/4004
340/521
D628,103 S * 11/2010 Schmalz D10/70
(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — HoustonHogle LLP

(57) **CLAIM**

The ornamental design for a motion detector, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view of a motion detector in accordance with the present invention; FIG. 2 is a back perspective view of the motion detector; FIG. 3 is a front view thereof; FIG. 4 is a back view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a right side view thereof; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof.

The features shown in broken lines in the various Figures are for illustrating environmental structure and form no part of the claimed design.

More generally, the invention pertains to an ornamental design for an article of manufacture. In one embodiment, as indicated above, the article of manufacture is a motion detector.

1 Claim, 7 Drawing Sheets



(58) **Field of Classification Search**

CPC 21/043; G08B 21/0438; G08B 21/0446;
 G08B 21/0453; G08B 21/0461; G08B
 21/0469; G08B 21/0476; G08B 21/0484;
 G08B 21/0492; G08B 21/06; G08B
 21/08; G08B 21/082; G08B 21/084;
 G08B 21/086; G08B 21/088; G08B
 21/10; G08B 21/12; G08B 21/14; G08B
 21/16; G08B 21/18; G08B 21/182; G08B
 21/185; G08B 21/187; G08B 21/20;
 G08B 21/22; G08B 21/24; G08B 21/245;
 G08B 23/00; G08B 13/00; G08B 13/02;
 G08B 13/04; G08B 13/06; G08B 13/08;
 G08B 13/10; G08B 13/12; G08B 13/122;
 G08B 13/124; G08B 13/126; G08B
 13/028; G08B 13/14; G08B 13/1409;
 G08B 13/1418; G08B 13/1427; G08B
 13/1436; G08B 13/1445; G08B 13/1454;
 G08B 13/1463; G08B 13/1472; G08B
 13/1481; G08B 13/149; G08B 13/16;
 G08B 13/1609; G08B 13/1618; G08B
 13/1627; G08B 13/1636; G08B 13/1645;
 G08B 13/1654; G08B 13/1663; G08B
 13/1672; G08B 13/1681; G08B 13/169;
 G08B 13/18; G08B 13/181; G08B
 13/183; G08B 13/184; G08B 13/186;
 G08B 13/187; G08B 13/189; G08B
 13/1895; G08B 13/19; G08B 13/191;
 G08B 13/193; G08B 13/194; G08B
 13/196; G08B 13/19602; G08B 13/19604;
 G08B 13/19606; G08B 13/19608; G08B
 13/1961; G08B 13/19613; G08B
 13/19615; G08B 13/19617; G08B
 13/19619; G08B 13/19621; G08B
 13/19623; G08B 13/19626; G08B
 13/19628; G08B 13/1963; G08B
 13/19632; G08B 13/19634; G08B
 13/19636; G08B 13/19639; G08B
 13/19641; G08B 13/19643; G08B

13/19645; G08B 13/19647; G08B
 13/1965; G08B 13/19652; G08B
 13/19654; G08B 13/19656; G08B
 13/19658; G08B 13/1966; G08B
 13/19663; G08B 13/19665; G08B
 13/19667; G08B 13/19669; G08B
 13/19671; G08B 13/19673; G08B
 13/19676; G08B 13/19678; G08B
 13/1968; G08B 13/19682; G08B
 13/19684; G08B 13/19686; G08B
 13/19689; G08B 13/19691; G08B
 13/19693; G08B 13/19695; G08B
 13/19697; G08B 13/20; G08B 13/22;
 G08B 13/24; G08B 13/2402; G08B
 13/2405; G08B 13/2408; G08B 13/2411;
 G08B 13/2414; G08B 13/2417; G08B
 13/242; G08B 13/2422; G08B 13/2425;
 G08B 13/2428; G08B 13/2431; G08B
 13/2434; G08B 13/2437; G08B 13/244;
 G08B 13/2442; G08B 13/2445; G08B
 13/2448; G08B 13/2451; G08B 13/2454;
 G08B 13/2457; G08B 13/246; G08B
 13/2462; G08B 13/2465; G08B 13/2468;
 G08B 13/2471; G08B 13/2474; G08B
 13/2477; G08B 13/248; G08B 13/2482;
 G08B 13/2485; G08B 13/2488; G08B
 13/2491; G08B 13/2494; G08B 13/2497;
 G08B 13/26

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D651,532 S * 1/2012 Li D10/70
 D656,848 S * 4/2012 Mosher D10/70
 D666,512 S 9/2012 Gresko et al.
 8,258,478 B2 * 9/2012 Walters G08B 13/193
 250/342

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8