



US00D818064S

(12) **United States Design Patent** (10) **Patent No.:** **US D818,064 S**
Hunter (45) **Date of Patent:** **** May 15, 2018**

- (54) **TRAINING BALL**
- (71) Applicant: **Hunter Products Pty. Ltd.**, Moorabbin (AU)
- (72) Inventor: **Luke Hunter**, Melbourne (AU)
- (73) Assignee: **Hunter Products Pty Ltd**, Moorabbin (AU)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/585,947**
- (22) Filed: **Nov. 30, 2016**
- (51) **LOC (11) Cl.** **21-02**
- (52) **U.S. Cl.**
USPC **D21/712**
- (58) **Field of Classification Search**
USPC 283/117; 473/569, 570, 571, 572, 573, 473/574, 575, 576, 577, 593, 594, 595, 473/596, 597, 598, 599, 600, 601, 602, 473/603, 604, 605, 606, 607, 608, 609, 473/610, 611, 612, 613, 614, 615; D11/62, 75, 76, 95; D21/662, 707, 708, D21/709, 710, 711, 712, 713, 714; D30/160; 434/251
CPC A63B 2243/0066; A63B 41/08
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
3,708,170 A * 1/1973 Presnell A63B 41/08 473/597
D329,479 S * 9/1992 Williams D21/714
D329,673 S * 9/1992 Williams D21/714
D329,674 S * 9/1992 Williams D21/714
5,342,043 A * 8/1994 Baltronis A63B 41/00 473/599
5,467,981 A * 11/1995 Rudell A63B 43/007 473/571

- 5,503,699 A * 4/1996 Ratner A63B 41/08 156/156
- D375,129 S * 10/1996 Daicos D21/712
- 5,570,882 A * 11/1996 Horkan A41D 19/01552 473/573
- D386,227 S * 11/1997 Hegenbarth D21/714
- D386,228 S * 11/1997 Hegenbarth D21/714
- D485,316 S * 1/2004 Poegel, Jr. D21/714
- D485,590 S * 1/2004 Poegel, Jr. D21/713
- D537,132 S * 2/2007 Barhoum D21/712
- D551,726 S * 9/2007 Pierce D21/713
- D584,778 S * 1/2009 Bevier D21/712
- D602,101 S * 10/2009 Thomas D21/713
- D808,478 S * 1/2018 Stewart D21/712
- 2003/0181266 A1 * 9/2003 Sowders A63B 43/008 473/596
- 2004/0076938 A1 * 4/2004 Publicover A63B 41/08 434/248

(Continued)

Primary Examiner — Cynthia Ramirez
Assistant Examiner — Michael A Maharajh
(74) *Attorney, Agent, or Firm* — Downs Rachlin Martin PLLC


(57) **CLAIM**

The ornamental design for a training ball, as shown and described.

DESCRIPTION

FIG. 1 is a first side view of a training ball showing my new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a third side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is an end view thereof; and,
FIG. 6 is a second end view thereof.
The broken lines in the Figures are for the purpose of illustrating unclaimed portions of the training ball and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0121865 A1* 6/2004 Lee A63B 41/08
473/597
2005/0064966 A1* 3/2005 Menow A63B 43/00
473/569
2005/0113195 A1* 5/2005 Carbonero A63B 69/002
473/596
2006/0211527 A1* 9/2006 Guenther A63B 41/08
473/597
2008/0032834 A1* 2/2008 Krysiak A63B 41/08
473/597
2009/0325742 A1* 12/2009 Krysiak A63B 41/08
473/596
2010/0248873 A1* 9/2010 Cooper A63B 41/08
473/599
2013/0260927 A1* 10/2013 Thurman A63B 41/08
473/595
2014/0080637 A1* 3/2014 Manners A63B 69/002
473/438
2014/0243122 A1* 8/2014 Crowley A63B 43/06
473/570
2015/0031482 A1* 1/2015 Frank A63B 43/002
473/597
2015/0182810 A1* 7/2015 Thurman A63B 43/004
473/570
2017/0232306 A1* 8/2017 Thurman A63B 43/004
473/570

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6