

US00D818120S

(12) United States Design Patent (10) Patent No.:

Levy et al.

(45) **Date of Patent:**

US D818,120 S

** May 15, 2018

CATHETER SLEEVE

Applicants: Emily Levy, Newport, RI (US); Yousef **Al-Humaidhi**, North Hampton, NH

(US)

Inventors: Emily Levy, Newport, RI (US); Yousef

Al-Humaidhi, North Hampton, NH

(US)

Assignee: Mighty Well, Inc., Newport, RI (US)

15 Years Term:

Appl. No.: 29/547,999

Dec. 9, 2015 Filed:

(52)U.S. Cl.

Field of Classification Search (58)

USPC D24/127–131, 112–114, 133, 186, 189, D24/190, 192, 206; 606/181, 185; (Continued)

References Cited (56)

U.S. PATENT DOCUMENTS

5,823,977	\mathbf{A}	*	10/1998	Dalyea		A61F 15/004	
						602/3	
6,276,364	B1	*	8/2001	Warner	• • • • • • • • • • • • • • • • • • • •	A61F 15/004	
						128/846	
(Continued)							

Primary Examiner — David Muller (74) Attorney, Agent, or Firm — St Onge Steward

Johnston and Reens LLC

(57)**CLAIM**

The ornamental design for a catheter sleeve, as shown and described.

DESCRIPTION

FIG. 1 is a front and top view of a first embodiment of a catheter sleeve in accordance with the new design in an open or extended position;

FIG. 2 is a rear and top view thereof;

FIG. 3 is a rear and top view of the first embodiment of a catheter sleeve in accordance with the new design in a closed or folded over position;

FIG. 4 is a top view thereof;

FIG. 5 is a front and rear view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is an inside-out view of the first embodiment of a catheter sleeve showing a front and top view of the insideout catheter sleeve;

FIG. 8 is a rear and top view thereof;

FIG. 9 is a front isometric view of the first embodiment of a catheter sleeve in accordance with the new design in a closed or folded over position;

FIG. 10 is a front and top view of a second embodiment of a catheter sleeve in accordance with the new design in an open or extended position;

FIG. 11 is a rear and top view thereof;

FIG. 12 is a rear and top view of the second embodiment of a catheter sleeve in accordance with the new design in a closed or folded over position;

FIG. 13 is a top view thereof;

FIG. 14 is a front and rear view thereof;

FIG. 15 is a rear view thereof;


FIG. 16 is an inside-out view of the second embodiment of a catheter sleeve showing a front and top view in the inside-out catheter sleeve; and,

FIG. 17 is a rear and top view thereof.

The broken lines shown in FIGS. 1, 2, 3, 5, 7, 8, 9, 10, 11, 12, 14, 16, and 17 represent stitching and form no part of the claimed design.

The outline of a person shown in broken lines in FIG. 9 illustrates the environment of use of the cather sleeve on a person and form no part of the claimed design.

1 Claim, 13 Drawing Sheets



(58) Field of Classification Search

USPC 604/506, 264, 523–528, 272, 187, 158, 604/164.01–164.11, 181, 184, 227; 600/101, 139, 143; 128/200.24, 207.14, 128/207.15

CPC A61F 15/004; A61F 13/041; A61M 5/42; A61M 25/0612; A61M 25/00


See application file for complete search history.


(56) References Cited


U.S. PATENT DOCUMENTS


6,916,301 B1*	7/2005	Clare A61F 15/004
		128/856
D549,346 S *	8/2007	Kraska D24/189
D550,848 S *	9/2007	Juta D24/190
D551,351 S *	9/2007	Silva D24/190
7,662,116 B2*	2/2010	Ritchey A61F 15/004
		128/856
D660,438 S *	5/2012	Kennedy D24/190
D689,191 S *	9/2013	Devito
D728,112 S *	4/2015	Higgins D24/190
D749,743 S *		O'Connor D24/190
D755,398 S *	5/2016	Devito D24/190
D785,190 S *		Bell

^{*} cited by examiner













F/G. 4























F/G. 13

