



US00D818247S

(12) **United States Design Patent**
Hawes et al.

(10) **Patent No.:** **US D818,247 S**
(45) **Date of Patent:** **** May 22, 2018**

- (54) **CAP**
- (71) Applicant: **Under Armour, Inc.**, Baltimore, MD (US)
- (72) Inventors: **Eric Hawes**, Baltimore, MD (US);
Whitney Enck, Baltimore, MD (US)
- (73) Assignee: **UNDER ARMOUR, INC.**, Baltimore, MD (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/564,589**
- (22) Filed: **May 13, 2016**
- (51) **LOC (11) Cl.** **02-03**
- (52) **U.S. Cl.**
USPC **D2/889**
- (58) **Field of Classification Search**
USPC D2/865, 866, 867, 868, 870, 874, 878,
D2/880, 881, 885, 889, 891; D29/106
CPC .. A42B 1/00; A42B 1/04; A42B 1/041; A42B
1/043; A42B 1/062; A42B 1/064; A42B
1/066; A42B 1/12; A42B 1/206; A42B
1/247; A42C 5/00; A42C 5/02; A42C
5/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,744,256 A * 5/1956 Slotkin A42B 1/241
2/195.1
- D398,141 S * 9/1998 Lents D2/885
- 6,115,843 A 9/2000 Travalgia
- 6,671,885 B2 1/2004 Viggiano
- D565,281 S * 4/2008 Dhillon D2/865
- D567,480 S * 4/2008 Harris D2/882
- D580,634 S * 11/2008 Robinson D2/869
- D599,085 S * 9/2009 Booker D2/867

- 8,111,859 B2 * 2/2012 Phillips H04R 5/0335
381/374
- 8,813,265 B2 * 8/2014 Schwantes A41D 20/00
2/209.13
- D712,637 S * 9/2014 Thompson D2/889
- D720,520 S * 1/2015 Klaiber D2/867
- D750,356 S * 3/2016 McLendon D2/889
- D756,606 S * 5/2016 Benjamin-Cintron D2/867
- D766,551 S * 9/2016 Barrett D2/867
- D771,355 S * 11/2016 Eichenberger D2/867
- D779,120 S * 2/2017 Cull D28/41
- 9,636,066 B2 * 5/2017 Idrees A61B 5/486
- 2010/0024091 A1 * 2/2010 Mehtab A41D 15/005
2/69
- 2015/0335086 A1 * 11/2015 Murphy A42B 1/041
2/171
- 2016/0331057 A1 * 11/2016 Hawes A42B 1/245

* cited by examiner

Primary Examiner — Karen S Acker

Assistant Examiner — Jasmine Mlinarcik

(74) *Attorney, Agent, or Firm* — Edell, Shapiro & Finnan, LLC

(57) **CLAIM**

The ornamental design for a cap, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a cap showing our new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view in elevation thereof;

FIG. 4 is a rear view in elevation thereof;

FIG. 5 is a left side view in elevation thereof;



FIG. 6 is a right side view in elevation thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The broken lines represent stitching that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8