



US00D818290S

(12) **United States Design Patent**  
**Facco et al.**

(10) **Patent No.:** **US D818,290 S**  
(45) **Date of Patent:** **\*\* May 22, 2018**

- (54) **CUSHION**
- (71) Applicants: **Mirko Facco**, Padua (IT); **Alberto Bellot**, Vicenza (IT)
- (72) Inventors: **Mirko Facco**, Padua (IT); **Alberto Bellot**, Vicenza (IT)
- (73) Assignee: **Technogel Italia S.r.l.** (IT)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/598,847**
- (22) Filed: **Mar. 29, 2017**
- (51) **LOC (11) Cl.** ..... **06-09**
- (52) **U.S. Cl.**  
USPC ..... **D6/601**
- (58) **Field of Classification Search**  
USPC ..... D6/595-601, 604, 611; D21/803, 804;  
D24/183  
CPC ..... A47C 7/12; A47C 7/021; A47C 7/383;  
A47C 7/425; A47C 7/428; A47C 7/546;  
A47C 16/00; A47C 20/00; A47C 20/02;  
A47C 20/021; A47C 20/026; A47C  
20/027; A47C 31/11; A47C 27/001; A47C  
27/081; A47C 1/146; A47G 9/00; A47G  
9/10; A47G 9/07; A47G 9/1027; A47G  
9/1045; A47G 9/1054; A47G 9/1063;  
A47G 9/1072; A47G 9/1081; A47G  
9/109; A47G 2009/1018; A47G  
2009/1036  
See application file for complete search history.

D375,863	S	*	11/1996	Bigolin	.....	D6/596
D394,578	S	*	5/1998	Raburn	.....	D6/596
D497,761	S	*	11/2004	Martin	.....	D6/601
D507,142	S	*	7/2005	Akamatsu	.....	D6/601
D516,855	S	*	3/2006	Akamatsu	.....	D6/601
D529,326	S	*	10/2006	Martin	.....	D6/601
D677,506	S	*	3/2013	Lai	.....	D6/601
D751,322	S	*	3/2016	Reynolds	.....	D6/601
D758,101	S	*	6/2016	Mason	.....	D6/601
D758,102	S	*	6/2016	Mason	.....	D6/601
D758,103	S	*	6/2016	Mason	.....	D6/601
D759,404	S	*	6/2016	Alletto, Jr.	.....	D6/601
D781,616	S	*	3/2017	Parman	.....	D6/604
9,737,152	B2	*	8/2017	Mason	.....	A47C 21/046
2008/0244832	A1	*	10/2008	Kuo	.....	A47C 7/021 5/638
2011/0061167	A1	*	3/2011	Farley	.....	A47G 9/10 5/652
2013/0291311	A1	*	11/2013	Wang	.....	A47C 21/046 5/724

\* cited by examiner

*Primary Examiner* — Michelle E Wilson  
*Assistant Examiner* — Sanjeev Paul  
(74) *Attorney, Agent, or Firm* — Cohen & Grigsby, P.C.

(57) **CLAIM**


The ornamental design for a cushion, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the cushion.  
FIG. 2 is a top view of the cushion.  
FIG. 3 is a bottom view of the cushion.  
FIG. 4 is a right side view of the cushion.  
FIG. 5 is a left side view of the cushion.  
FIG. 6 is a front view of the cushion; and,  
FIG. 7 is a rear view of the cushion.

**1 Claim, 6 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
5,152,023 A \* 10/1992 Graebe ..... A47C 27/081  
5/654  
5,160,785 A \* 11/1992 Davidson, Jr. .... A47C 27/146  
297/DIG. 1






FIG. 1





FIG. 2



**FIG. 3**




FIG. 4




FIG. 5




FIG. 6




FIG. 7