



US00D818345S

(12) **United States Design Patent** (10) **Patent No.:** **US D818,345 S**
Morstatt et al. (45) **Date of Patent:** **** May 22, 2018**

(54) **TRIM RING LOCK**
(71) Applicant: **Yale Security Inc.**, Monroe, NC (US)
(72) Inventors: **Scott Morstatt**, New Haven, CT (US);
Garrett Lovejoy, New Haven, CT (US); **Jason Williams**, New Haven, CT (US); **Jennifer Avgerinos**, New Haven, CT (US)
(73) Assignee: **YALE SECURITY INC.**, Monroe, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/585,432**

(22) Filed: **Nov. 23, 2016**

(51) **LOC (11) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/330; D8/331; D8/334**

(58) **Field of Classification Search**
USPC D8/330, 331, 336, 338, 339, 340, 343;
70/14, 2, 51, 57, 57.1, 91, 107, 141, 214,
70/78, 278, 1, 127, 447; 292/2, 32, 137,
292/288, 289, 290, 292, 194-198, 164,
292/165, 257
CPC E05B 49/00; E05B 17/00; E05B 55/00;
E05B 65/00; E05B 47/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,475,996 A * 12/1995 Chen E05B 47/0692
70/218
6,058,746 A * 5/2000 Mirshafiee E05B 63/0056
292/39
6,733,050 B1 * 5/2004 Yao E05B 63/044
292/137
D580,739 S * 11/2008 Pelletier D8/330

D686,055 S * 7/2013 Li D8/331
D686,056 S * 7/2013 Li D8/331
8,495,898 B2 * 7/2013 Gokcebay G07C 9/00666
70/214
8,587,405 B2 * 11/2013 Denison B60R 25/102
340/5.64
8,616,031 B2 * 12/2013 Ullrich E05B 65/462
70/278.7
D698,222 S * 1/2014 Guo D8/330
D731,286 S * 6/2015 Gokcebay D8/330
D771,471 S * 11/2016 Ruoff D8/330
D778,708 S * 2/2017 Jeng D8/330

* cited by examiner

Primary Examiner — Prabhakar G Deshmukh
(74) *Attorney, Agent, or Firm* — DeLio, Peterson & Curcio, LLC; Thomas E. Ciesco


(57) **CLAIM**

The ornamental design for a “trim ring lock,” as shown and described.

DESCRIPTION

FIG. 1 is a right front top perspective view of the “trim ring lock” according to our invention;
FIG. 2 is a front elevational view of the “trim ring lock” shown in FIG. 1;
FIG. 3 is a rear elevational view of the “trim ring lock” shown in FIG. 1;
FIG. 4 is a right side elevational view of the “trim ring lock” shown in FIG. 1;
FIG. 5 is a left side elevational view of the “trim ring lock” shown in FIG. 1;
FIG. 6 is a bottom elevational view of the “trim ring lock” shown in FIG. 1; and,
FIG. 7 is a top elevational view of the “trim ring lock” shown in FIG. 1.
Portions of the trim ring lock are shown in phantom lines and form no part of the design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7

