



US00D818348S

(12) **United States Design Patent** (10) **Patent No.:** **US D818,348 S**  
**Brannon** (45) **Date of Patent:** **\*\* May 22, 2018**

(54) **SHIM JACK**  
(71) Applicant: **Sympateco, Inc.**, Omaha, NE (US)  
(72) Inventor: **Curt Brannon**, Omaha, NE (US)  
(73) Assignee: **SYMPATECO, INC.**, Omaha, NE (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/585,814**  
(22) Filed: **Nov. 29, 2016**  
(51) **LOC (11) Cl.** ..... **08-08**  
(52) **U.S. Cl.**  
USPC ..... **D8/349**  
(58) **Field of Classification Search**  
USPC ..... D8/330, 349, 354, 355, 373, 380-382,  
D8/499; D13/102  
CPC .... B23P 11/00; F24J 2/52; F24J 2/5249; F24J  
2/5205; E04B 1/00; E04B 1/38; F16B  
2/065; H02S 20/23; H02S 20/24; E06B  
1/6076; E06B 1/12  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D435,433 S \* 12/2000 Miller ..... D8/354  
D510,315 S \* 10/2005 Shugar ..... D13/102  
D759,464 S \* 6/2016 West ..... D8/349  
D761,645 S \* 7/2016 Kim ..... D8/354  
D779,308 S \* 2/2017 West ..... D8/349  
D803,664 S \* 11/2017 West ..... D8/349  
2009/0293941 A1 \* 12/2009 Luch ..... H01L 31/02008  
136/251  
2010/0269430 A1 \* 10/2010 Haddock ..... E04F 13/0821  
52/173.3  
2011/0070765 A1 \* 3/2011 Kobayashi ..... F24J 2/5207  
439/387

2011/0100434 A1 \* 5/2011 Van Walraven ..... F24J 2/5205  
136/251  
2011/0179727 A1 \* 7/2011 Liu ..... F24J 2/5203  
52/173.3  
2011/0214365 A1 \* 9/2011 Aftanas ..... F24J 2/5258  
52/173.3  
2011/0214368 A1 \* 9/2011 Haddock ..... F24J 2/5249  
52/173.3  
2011/0220180 A1 \* 9/2011 Cinnamon ..... F24J 2/5211  
136/251  
2012/0273029 A1 \* 11/2012 Bragagna ..... F24J 2/5233  
136/251  
2013/0320166 A1 \* 12/2013 Kemple ..... F24J 2/52  
248/220.22

(Continued)

*Primary Examiner* — Mark Goodwin  
(74) *Attorney, Agent, or Firm* — Ryan T. Grace; Advent, LLP


(57) **CLAIM**

The ornamental design for a shim jack, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a shim jack.  
FIG. 2 is a bottom view of the shim jack of FIG. 1.  
FIG. 3 is a front elevation view of the shim jack of FIG. 1.  
FIG. 4 is a rear elevation view of the shim jack of FIG. 1.  
FIG. 5 is a right side elevation view of the shim jack of FIG. 1.  
FIG. 6 is a left side elevation view of the shim jack of FIG. 1.  
FIG. 7 is an isometric view of the shim jack of FIG. 1; and, FIG. 8 is another isometric view of the shim jack of FIG. 1. Portions of FIGS. 1 through 8 are shown in broken lines illustrating portions of the article and environmental subject matter that form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2013/0340358 A1\* 12/2013 Danning ..... B23P 11/00  
52/126.7  
2014/0041706 A1\* 2/2014 Haddock ..... F24J 2/5254  
136/244  
2016/0282016 A1\* 9/2016 Ash ..... F24J 2/46  
2016/0308487 A1\* 10/2016 Molina ..... F24J 2/5264

\* cited by examiner




FIG. 1




FIG. 2







FIG. 3



**FIG. 4**



**FIG. 5**



**FIG. 6**






FIG. 7




FIG. 8