



US00D818743S

(12) **United States Design Patent** (10) **Patent No.:** **US D818,743 S**
Zanki et al. (45) **Date of Patent:** **** May 29, 2018**

(54) **SUPPORT APPARATUS**

(71) Applicants: **Logan Zanki**, North Plainfield, NJ
(US); **Kathleen Zanki**, North Plainfield,
NJ (US)

(72) Inventors: **Logan Zanki**, North Plainfield, NJ
(US); **Kathleen Zanki**, North Plainfield,
NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/624,362**

(22) Filed: **Oct. 31, 2017**

Related U.S. Application Data

(62) Division of application No. 29/555,110, filed on Feb.
18, 2016, now Pat. No. Des. 805,812.

(51) **LOC (11) Cl.** **06-09**

(52) **U.S. Cl.**
USPC **D6/601**

(58) **Field of Classification Search**

USPC D6/333, 349, 355, 375, 388, 512, 563,
D6/564, 595, 596, 601, 604, 611, 707,
D6/715, 716, 716.1; D24/183-185, 234;
D21/803, 804, 805, 809; 5/401, 420,
5/600, 630, 631, 632, 633, 635, 636, 638,
5/639, 646, 652, 652.1, 655, 703, 730;
297/1, 2, 4, 93, 180.11, 195.1, 195.11,
297/195.13, 393, 397, 452.12, 452.14,
297/452.15, 452.21, 452.24, 452.26,
297/452.48, 452.62, 482

CPC A47G 9/10; A47G 9/1009; A47G 9/1027;
A47G 9/1045; A47G 9/1063; A47G
9/1072; A47G 9/1081

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,089,584 A 8/1937 Pellegrini
3,118,152 A 1/1964 Talley, Jr.

3,287,747 A 11/1966 Ellsorth
3,378,862 A 4/1968 Skinner
3,988,793 A 11/1976 Abitol
4,021,872 A 5/1977 Powell
4,051,566 A 10/1977 Esquivel
4,054,960 A 10/1977 Pettit et al.
D257,309 S * 10/1980 Kroll D6/601
D263,190 S 3/1982 Herr
4,489,452 A 12/1984 Lickert
D277,316 S * 1/1985 Meares D24/190
4,508,384 A 4/1985 Castelot et al.

(Continued)

FOREIGN PATENT DOCUMENTS

GB 2425468 11/2006
GB 2439916 1/2008
GB 24714767 7/2013

OTHER PUBLICATIONS

<http://www.thebellybed.com.au>. Accessed on Aug. 14, 2015.

(Continued)

Primary Examiner — Michelle E Wilson

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Gearhart Law LLC


(57) **CLAIM**

The ornamental design for a support apparatus, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of a support apparatus.
FIG. 2 is a back view thereof.
FIG. 3 is a front view thereof.
FIG. 4 is a right side view thereof.
FIG. 5 is a left side view thereof.
FIG. 6 is a top view of thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 5 Drawing Sheets






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7