



US00D818786S

(12) **United States Design Patent** (10) **Patent No.:** **US D818,786 S**
Ratajczyk et al. (45) **Date of Patent:** **** May 29, 2018**

(54) **FLASHING TOOL**
(71) Applicant: **Quickflash Weatherproofing Products, Inc., Las Vegas, NV (US)**
(72) Inventors: **Craig Ratajczyk, Las Vegas, NV (US); William J. Gilleran, Las Vegas, NV (US)**
(73) Assignee: **QUICKFLASH WEATHERPROOFING PRODUCTS, INC., Las Vegas, NV (US)**

6,473,974 B1	11/2002	Ireland	
D469,230 S *	1/2003	Libman	D32/41
6,662,521 B1	12/2003	Escobedo et al.	
D498,989 S *	11/2004	White	D7/688
D617,967 S *	6/2010	Lambert	D32/46
7,818,843 B2	10/2010	Kinskey et al.	
8,151,405 B2	4/2012	Giannantonio	
8,296,920 B2	10/2012	Lin	
D695,981 S *	12/2013	Myoung	D32/46
8,640,425 B2	2/2014	Welty	
D702,905 S *	4/2014	Holma	D32/46
D721,258 S	1/2015	Momper et al.	
D733,517 S	7/2015	Constantine	
D752,401 S *	3/2016	De La Cruz	D7/688

(**) Term: **15 Years**

* cited by examiner

(21) Appl. No.: **29/567,676**

Primary Examiner — Phillip S Hyder
(74) *Attorney, Agent, or Firm* — Howard & Howard Attorneys PLLC

(22) Filed: **Jun. 10, 2016**

(51) **LOC (11) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/14**

(58) **Field of Classification Search**
USPC D8/14, 45, 47; D7/688; D32/46
CPC B60S 3/045; B27G 17/00; A47L 1/16
See application file for complete search history.

(57) **CLAIM**

We claim the ornamental design for a flashing tool, as shown and described herein.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

663,362 A	12/1900	Ralya	
912,028 A	2/1909	Prout	
960,624 A	6/1910	Compton	
1,598,420 A	8/1926	Brossett	
1,710,113 A	4/1929	Rothermel	
2,472,668 A	6/1949	Lewandowski	
D268,085 S	3/1983	Brunson et al.	
4,536,910 A	8/1985	Clark	
4,620,369 A	11/1986	Gercken	
D298,300 S *	11/1988	Leray	D32/49
D406,934 S *	3/1999	Hansen	D32/74
D419,049 S	1/2000	Mollack	
D462,251 S	9/2002	Collins et al.	

FIG. 1 is a perspective view of an embodiment of the ornamental design for a flashing tool;
FIG. 2 is a top elevation view of the flashing tool shown in FIG. 1;
FIG. 3 is a bottom elevation view of the flashing tool shown in FIG. 1;
FIG. 4 is a right side elevation view of the flashing tool shown in FIG. 1;
FIG. 5 is a left side elevation view of the flashing tool shown in FIG. 1;
FIG. 6 is a rear elevation view of the flashing tool shown in FIG. 1; and,
FIG. 7 is a front elevation view of the flashing tool shown in FIG. 1.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7