



US00D818908S

(12) **United States Design Patent** (10) **Patent No.:** **US D818,908 S**
Weiss et al. (45) **Date of Patent:** **** May 29, 2018**

(54) **OUTER GUARD OF A TRANSPORT UNIT**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **THERMO KING CORPORATION**,
Minneapolis, MN (US)

WO WO 2013006949 A1 * 1/2013 B60K 1/00

(72) Inventors: **Michael R. Weiss**, Bloomington, MN
(US); **Michael T. Nelson**, Eagan, MN
(US); **Alan Henry Feldhake**,
Burnsville, MN (US)

Primary Examiner — Ian Simmons

Assistant Examiner — Yolanda Robinson

(74) *Attorney, Agent, or Firm* — Hamre, Schumann,
Mueller & Larson, P.C.

(73) Assignee: **THERMO KING CORPORATION**,
Minneapolis, MN (US)

(57) **CLAIM**

The ornamental design for a outer guard of a transport unit,
as shown and described.

(**) Term: **15 Years**

(21) Appl. No.: **29/534,773**

(22) Filed: **Jul. 31, 2015**

(51) **LOC (11) Cl.** **12-16**

(52) **U.S. Cl.**

USPC **D12/181**

(58) **Field of Classification Search**

USPC D12/222, 82, 88, 89, 90, 91, 92, 14, 107,
D12/181, 87; D21/533, 548–550;
280/639, 756, 771, 788

CPC B60R 21/13; B60R 21/131; B60R 21/12;
B60R 2021/132; B62D 49/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,293,808 B2 * 11/2007 Leske B60R 21/13
280/756
D631,793 S * 2/2011 Sanschagrín D12/14
D642,090 S * 7/2011 Karacabey D12/82
D642,091 S * 7/2011 Karacabey D12/82
D678,125 S * 3/2013 Henne D12/86
D700,869 S * 3/2014 Sato D12/14
D703,102 S * 4/2014 Eck D12/87
D709,798 S * 7/2014 Matsumura D12/14
D717,695 S * 11/2014 Matsumura D12/14
D719,061 S * 12/2014 Tandrup D12/87

(Continued)

DESCRIPTION

FIG. 1 is a front perspective view of an outer guard of a
transport unit showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front perspective view of a second embodiment
of an outer guard of a transport unit showing our new design;

FIG. 9 is a front perspective view showing a center open;

FIG. 10 is a front view thereof;

FIG. 11 is a rear view thereof;

FIG. 12 is a left side view thereof;

FIG. 13 is a right side view thereof;


FIG. 14 is a top view thereof; and,

FIG. 15 is a bottom view thereof.

Surface shading in the FIGURES is provided to show clearly
the character and contour of all surfaces of any three-
dimensional aspects of the design.

The broken line showing in FIGS. 1-15 of the outer guard of
a transport unit is included for the purpose of illustrating
portions that forms no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D722,536	S *	2/2015	Hobo		D12/107
8,944,465	B2 *	2/2015	Shinbori		B60N 2/01
					280/756
8,998,255	B1 *	4/2015	Shinbori		B60N 2/01
					280/756
D730,239	S *	5/2015	Gonzalez		D12/14
D734,689	S *	7/2015	Hashimoto		D12/14
9,114,690	B1 *	8/2015	Bowles		B60R 21/13
D739,806	S *	9/2015	Oswell		D12/317
2010/0032932	A1 *	2/2010	Hastings		B60P 1/435
					280/762
2014/0292039	A1 *	10/2014	Kuroda		B60R 21/13
					296/203.01
2015/0014974	A1 *	1/2015	Cotnoir		B60J 5/0487
					280/756
2015/0061275	A1 *	3/2015	Deckard		B60G 21/055
					280/788
2015/0115586	A1 *	4/2015	Shinbori		B60N 2/01
					280/756
2015/0123390	A1 *	5/2015	Scott		B60R 21/13
					280/756
2015/0151618	A1 *	6/2015	Haimerl		B60J 7/061
					296/107.03
2015/0274120	A1 *	10/2015	Hayashi		B60R 22/18
					280/771
2015/0375803	A1 *	12/2015	Raska		B60G 3/20
					280/639

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15

