



US00D818935S

(12) **United States Design Patent** (10) **Patent No.:** **US D818,935 S**
Kitani (45) **Date of Patent:** **** May 29, 2018**

(54) **TIRE FOR AUTOMOBILE**
(71) Applicant: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Hyogo (JP)
(72) Inventor: **Naofumi Kitani**, Kobe (JP)
(**) Term: **15 Years**
(21) Appl. No.: **35/502,230**
(22) Filed: **Jul. 5, 2016**

D325,014 S *	3/1992	Galante	D12/531
D325,365 S *	4/1992	Covert	D12/519
D415,985 S *	11/1999	Le	D12/574
D444,740 S *	7/2001	Le	D12/602
D548,172 S *	8/2007	Dixon	D12/579
D578,956 S *	10/2008	Dixon	D12/579
D578,957 S *	10/2008	Bonko	D12/579
D604,227 S *	11/2009	Bonko	D12/579
D713,328 S *	9/2014	Umstot	D12/579
D713,329 S *	9/2014	Dixon	D12/579
D736,699 S *	8/2015	Dixon	D12/605
D757,643 S *	5/2016	Dixon	D12/605
D792,327 S *	7/2017	Takei	D12/532

* cited by examiner

(80) **Hague Agreement Data**

Int. Filing Date: **Jul. 5, 2016**
Int. Reg. No.: **DM/091684**
Int. Reg. Date: **Jul. 5, 2016**
Int. Reg. Pub. Date: **Jan. 6, 2017**

Primary Examiner — Michael A. Pratt

(51) **LOC (11) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/532**

(57) **CLAIM**

The ornamental design for a tire for automobile, as shown and described.

(58) **Field of Classification Search**
USPC D12/532, 574, 579, 592, 605, 501, 568, D12/779
CPC . B60C 11/00; B60C 2200/06; B60C 11/0323; B60C 11/1236; B60C 11/0304; B60C 11/0306; B60C 11/0332; B60C 11/1307; B60C 13/00; B60C 13/02; B60C 2011/0341; B60C 2011/0346; B60C 2011/1338; B60C 11/0309; B60C 11/125
See application file for complete search history.

DESCRIPTION

- 1. Tire for automobile
- 1.1 : Front
- 1.2 : Back
- 1.3 : Top
- 1.4 : Bottom
- 1.5 : Right
- 1.6 : Left
- 1.7 : Perspective
- 1.8 : Enlarged

(56) **References Cited**


U.S. PATENT DOCUMENTS

D324,842 S *	3/1992	Covert	D12/519
D325,012 S *	3/1992	Covert	D12/531


1 Claim, 8 Drawing Sheets




1.1




1.2




1.3




1.4



1.5



1.6



1.7



1.8

