



US00D818946S

(12) **United States Design Patent** (10) **Patent No.:** **US D818,946 S**
Liu et al. (45) **Date of Patent:** **** May 29, 2018**

(54) **BATTERY**

H01M 10/0436; H01M 10/48; H02J 7/00;
H02J 7/0003; H02J 7/0011; H02J 7/0013;
H02J 7/0054;

(71) Applicant: **HUIZHOU KIMREE
TECHNOLOGY CO., LTD.
SHENZHEN BRANCH**, Shenzhen,
Guangdong (CN)

(Continued)

(72) Inventors: **Qiuming Liu**, Guangdong (CN);
Zhiyong Xiang, Guangdong (CN);
Jianhua Niu, Guangdong (CN); **Zhilin
Wei**, Guangdong (CN)

(56)

References Cited

U.S. PATENT DOCUMENTS

D729,444 S * 5/2015 Leidel D27/163
D731,114 S * 6/2015 Leidel D27/163

(Continued)

(73) Assignee: **HUIZHOU KIMREE
TECHNOLOGY CO., LTD.
SHENZHEN BRANCH**, Shenzhen,
Guangdong (CN)

OTHER PUBLICATIONS

Kimsun TC40w Mini, by Kimsun, published on Jun. 21, 2016 on
youtube.com, retrieved on Jun. 29, 2017, retrieved from the Inter-
net: URL<<https://www.youtube.com/watch?v=EoKwmhZd8Xo>>.*

(**) Term: **15 Years**

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Alison M Ofstun

(21) Appl. No.: **29/572,064**

(22) Filed: **Jul. 25, 2016**

(74) *Attorney, Agent, or Firm* — U.S. Fairsky LLP; Yue
Xu

(30) **Foreign Application Priority Data**

Nov. 25, 2015 (CN) 2015 3 0478714

(51) **LOC (11) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103; D27/101**

(58) **Field of Classification Search**

USPC D13/102–110, 118–119, 184, 199;
D14/356, 432, 251, 253, 434; D27/163,
D27/101, 167, 141, 186, 189, 194, 154,
D27/160, 161

CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H01M 2/02;
H01M 2/022; H01M 2/0202; H01M
2/0207; H01M 2/0212; H01M 2/1061;
H01M 2/1022; H01M 2/1055; H01M
2/1066; H01M 2/105; H01M 2/20; H01M
2/202; H01M 2/204; H01M 2/206; H01M
10/44; H01M 10/46; H01M 10/465;
H01M 10/482; H01M 2200/30; H01M
2250/30; H01M 2250/40; H01M 10/4257;

(57)

CLAIM


The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a battery, showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a left view thereof;
FIG. 4 is a right view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a top perspective view thereof;
FIG. 8 is a bottom perspective view thereof; and,
FIG. 9 is a partial enlarged view of the area identified as “9”
in FIG. 1.

The broken lines present in the figures are included for the
purpose of illustrating portions of the battery which form no
part of the claimed design.

1 Claim, 9 Drawing Sheets



(58) **Field of Classification Search**
CPC . H02J 7/0055; H02J 7/0057; H02J 2007/0062
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D733,356 S	*	6/2015	Leidel	D27/163
D748,325 S	*	1/2016	Leidel	D27/163
D753,336 S	*	4/2016	Chen	D27/101
D758,656 S	*	6/2016	Freshwater	D27/163
D761,999 S	*	7/2016	Liu	D27/101
D765,594 S	*	9/2016	Li	D13/103
D770,678 S	*	11/2016	Shin	D27/163
D772,477 S	*	11/2016	Shin	D27/163
D776,051 S	*	1/2017	Wang	D13/103
D790,766 S	*	6/2017	Li	D27/163
2017/0079327 A1	*	3/2017	Wu	A24F 47/008

* cited by examiner




Figure 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Figure 9