



US00D819220S

(12) **United States Design Patent** (10) **Patent No.:** **US D819,220 S**
McMillan et al. (45) **Date of Patent:** **** May 29, 2018**

(54) **DORSAL BLOCKING SPLINT**

2014/0221889 A1* 8/2014 Burns A61F 5/0102
602/5

(71) Applicant: **WEBER ORTHOPEDIC INC.**, Santa Paula, CA (US)

* cited by examiner

(72) Inventors: **Jamie McMillan**, Billings, MT (US);
Martha Ortega, Oxnard, CA (US)

Primary Examiner — Charles D Hanson

(74) *Attorney, Agent, or Firm* — Paul Y. Feng; One LLP

(73) Assignee: **Weber Orthopedic, Inc.**, Santa Paula, CA (US)

(57) **CLAIM**

The design for a dorsal blocking splint, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/578,459**

FIG. 1 is a bottom view of our new dorsal blocking splint design;

(22) Filed: **Sep. 21, 2016**

FIG. 2 is a top plan view of our new dorsal blocking splint design;

(51) **LOC (11) Cl.** **24-03**

FIG. 3 is a left side elevational view;

(52) **U.S. Cl.**
USPC **D24/190**

FIG. 4 is a right side elevational view;

(58) **Field of Classification Search**

FIG. 5 is distal end view;

USPC D24/190

FIG. 6 is a proximal end view;

CPC .. A61F 5/0118; A61F 5/0123; A61F 5/05866;

FIG. 7 is a perspective view of the top as seen from the proximal end;

A61H 3/00; A61H 2003/007; A61H

2205/10

FIG. 8 is a perspective view of the top as seen from the distal end;

See application file for complete search history.

FIG. 9 is a perspective view of the bottom as seen from the distal end;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D666,301 S *	8/2012	Joseph	D24/190
D678,536 S *	3/2013	Niefer	D24/190
D720,860 S *	1/2015	Meyer	D24/190
2008/0249448 A1 *	10/2008	Stevenson	A61F 5/0125 602/16
2009/0112134 A1 *	4/2009	Avni	A61H 23/0263 601/15
2009/0149790 A1 *	6/2009	Farrell	A61F 5/0118 602/20
2012/0004586 A1 *	1/2012	Martino	A61F 5/0118 602/20
2014/0024987 A1 *	1/2014	Anglada	A61F 5/0118 602/16

FIG. 10 is a perspective view of the bottom as seen from the proximal end with the straps removed from the splint;

FIG. 11 is a perspective view of the bottom as seen from the distal end with the straps removed;

FIG. 12 is a perspective view of the top as seen from the distal end with the straps removed;


FIG. 13 is a top perspective view as seen from the proximal end with the straps removed;

FIG. 14 is a bottom view of the splint with the straps removed; and,

FIG. 15 is a top plan view of the splint with the straps removed.

The broken lines inside the solid lines of the drawing figures indicate shading in the splint material.

1 Claim, 15 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15