



US00D819244S

(12) **United States Design Patent**
Wojan et al.

(10) **Patent No.:** **US D819,244 S**
(45) **Date of Patent:** **** May 29, 2018**

(54) **FLASHLIGHT**

(71) Applicant: **PROFESSIONAL TOOL PRODUCTS, LLC**, Travelers Rest, SC (US)

(72) Inventors: **Richard Glenn Wojan**, Travelers Rest, SC (US); **Jorge Palacio**, Greenville, SC (US); **Laurie Sauer**, Campobello, SC (US)

(73) Assignee: **PROFESSIONAL TOOL PRODUCTS, LLC**, Travelers Rest, SC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/582,940**

(22) Filed: **Nov. 1, 2016**

(51) **LOC (11) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/37**

(58) **Field of Classification Search**
USPC D26/37, 38, 42, 44, 46, 51, 63; D14/507, D14/341

CPC F21L 2003/00; F21L 4/00; F21L 4/005; F21L 4/02; F21L 4/025; F21L 4/027; F21L 4/04; F21L 4/08; F21L 2005/00; F21L 7/00; F21L 11/00; F21L 13/00; F21L 13/04; F21L 13/08; F21L 14/02; F21L 17/00; F21L 19/00; G06F 1/1613; G06F 1/1641; G06F 1/1643; G06F 1/1647; G06F 3/04883; G06F 3/0486; G06F 3/04847; G06F 3/04845; G06F 3/0484; G06F 3/04817

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D539,951 S * 4/2007 Qui D26/37
D595,875 S * 7/2009 Irvine D26/24

D608,038 S * 1/2010 Chan D26/60
D618,677 S * 6/2010 Andre et al.
D627,091 S * 11/2010 Zhang D26/37
D639,465 S * 6/2011 Abernethy D26/24
D647,229 S * 10/2011 Ma D26/37
D669,069 S * 10/2012 Akana et al.
D670,016 S * 10/2012 Sprengers D26/63
D673,949 S * 1/2013 Andre et al.
D699,378 S * 2/2014 DiLuciano D26/37
D724,078 S * 3/2015 Andre et al.
D732,018 S * 6/2015 Andre D14/341
D779,092 S * 2/2017 Xu D26/37
D781,470 S * 3/2017 Hsieh D26/24
D787,728 S * 5/2017 Wing D26/37

* cited by examiner

Primary Examiner — Karen E Kearney

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — J. Bennett Mullinax, LLC

(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the flashlight according to the present design.

FIG. 2 is a left side view of the flashlight as shown in FIG. 1;

FIG. 3 is a right side view of the flashlight as shown in FIG. 1;

FIG. 4 is a rear view of the flashlight as shown in FIG. 1;

FIG. 5 is a top view of the flashlight as shown in FIG. 1;


FIG. 6 is a bottom view of the flashlight as shown in FIG. 1;

FIG. 7 is a front perspective view of the flashlight as shown in FIG. 1; and,

FIG. 8 is a rear perspective view of the flashlight as shown in FIG. 1.

The broken lines show portions of the flashlight not claimed and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8