



US00D819258S

(12) **United States Design Patent**
Jurik et al.

(10) **Patent No.:** **US D819,258 S**
(45) **Date of Patent:** **** May 29, 2018**

(54) **LUMINAIRE OUTPUT LENS ARRAY**

D629,547 S *	12/2010	Salm	D26/63
D667,582 S *	9/2012	Toft	F21V 21/30
				D26/63
D689,232 S *	9/2013	Velazquez	F21V 23/009
				D26/63
D712,077 S *	8/2014	Leban	D26/28
D728,840 S *	5/2015	Eustace	D26/63
D740,989 S *	10/2015	Vasquez	D26/63
D774,688 S *	12/2016	Dennis	D26/122
D782,718 S *	3/2017	Ko	D26/63
D789,581 S *	6/2017	Peard	D26/61

(71) Applicant: **Robe Lighting s.r.o.**, Roznov pod Radhostem (CZ)

(72) Inventors: **Pavel Jurik**, Prostedni Becva (CZ);
Josef Valchar, Prostedni Becva (CZ)

(73) Assignee: **Robe Lighting s.r.o.**, Roznov pod Radhostem (CZ)

(**) Term: **15 Years**

* cited by examiner

(21) Appl. No.: **29/577,548**

Primary Examiner — Brian N. Vinson

(22) Filed: **Sep. 14, 2016**

(74) *Attorney, Agent, or Firm* — Conley Rose, P.C.; Grant Rodolph; Brooks W Taylor

Related U.S. Application Data

(63) Continuation-in-part of application No. 15/089,116, filed on Apr. 1, 2016, which is a continuation-in-part of application No. 15/075,191, filed on Mar. 20, 2016.

(51) **LOC (11) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/122**

(58) **Field of Classification Search**
USPC D26/1, 2, 24, 61–65, 118–124
CPC F21V 21/14; F21V 15/01; F21V 14/02;
F21V 21/30; F21V 21/00; F21V 14/00;
F21S 8/00; F21S 8/003; F21S 8/043;
F21Y 2105/001

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D202,727 S *	11/1965	Hahn	D26/65
D606,690 S *	12/2009	Orron	D26/61

(57) **CLAIM**


The ornamental design for a luminaire output lens array, as shown and described.

DESCRIPTION

FIG. 1 is a front and left side perspective view of a luminaire output lens array showing our new design; FIG. 2 is a front perspective view thereof; and, FIG. 3 is a front and right side perspective view thereof, with the broken line disclosure intended to represent a luminaire in which the array is mounted, but which forms no part of the claimed design.

The broken lines showing the remainder of the luminaire are directed to context or environment. The broken lines, within the claimed design, in embodiment 3, depict the luminaire on which the output lens array is mounted. None of the broken lines form a part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG 1




FIG 2




FIG 3