



US00D819442S

(12) **United States Design Patent**
Johnson

(10) **Patent No.:** **US D819,442 S**
(45) **Date of Patent:** **** Jun. 5, 2018**

(54) **INTERLOCKABLE BOTTLE CAP**

(71) Applicant: **William Nevil Heaton Johnson, St. Martin (GB)**

(72) Inventor: **William Nevil Heaton Johnson, St. Martin (GB)**

(**) Term: **15 Years**

(21) Appl. No.: **29/575,878**

(22) Filed: **Aug. 30, 2016**

Related U.S. Application Data

(62) Division of application No. 29/535,043, filed on Aug. 3, 2015, now Pat. No. Des. 784,132.

(51) **LOC (11) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/435**

(58) **Field of Classification Search**
USPC D3/202, 203.1, 203.2, 318, 273, 275, D3/294; D7/300, 300.1, 216, 317, 387, D7/391, 392.1, 393, 396.2, 509, 510, 511, D7/523, 525-531, 538, 541, 549, 629, D7/703, 900; D9/434, 435, 436, 438, D9/439, 440, 443, 446, 447, 448, 449, D9/450, 452, 453, 454, 502, 503, 504, D9/516, 517, 529; D8/349, 350, 352, D8/382, 387; D10/123, 126; D19/70, D19/71, 115, 162, 163, 165, 192, 194; D24/129; D28/7, 76, 78, 82, 85, 91; D26/36, 123, 124; D34/1, 7, 10, 11, 39; 206/216, 219, 541, 222, 221, 220; 215/306, 305, 228, 200; 220/212.5, 200; 222/81, 83, 556, 533, 530, 519, 205, 192, 222/158, 153.01; D13/155; D23/259-269
CPC B65D 50/041; B65D 23/00; B65D 1/00; B65D 1/02; B65D 1/0223; B65D 2501/00; B65D 2501/0009; B65D 83/06; A47G 18/22; A47G 18/23; F16L 23/00; F16L 27/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D35,064 S *	9/1901	Pulcifer	277/644
D217,231 S *	4/1970	Pashman	D9/532
D217,540 S *	5/1970	Weise	D8/397
3,713,247 A	1/1973	Parrilla	
D291,868 S	9/1987	Hindle	
D327,958 S *	7/1992	Grandesso	D28/91
D351,793 S *	10/1994	Stoller	D9/443
D399,743 S	10/1998	Coon et al.	
D458,138 S	6/2002	Fuchs	

(Continued)

Primary Examiner — Thomas Johannes

Assistant Examiner — Catherine S Posthauer

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57) **CLAIM**

The ornamental design for an interlockable bottle cap, as shown and described.

DESCRIPTION

FIG. 1 is a top view of an interlockable bottle cap, showing my design;

FIG. 2 is a front view thereof, the rear view being a mirror image thereof;

FIG. 3 is a right side view thereof, the left side being a mirror image thereof;



FIG. 4 is a bottom view thereof;

FIG. 5 is a top perspective view thereof, shown in a condition of use with other interlockable bottle caps forming no part of the claim; and,

FIG. 6 is a top view thereof.

The broken lines are shown for the purpose of illustrating parts of the interlockable bottle cap that form no part of the claim.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D465,731 S 11/2002 Brant et al.
 D470,051 S * 2/2003 Bloom D9/435
 D472,145 S 3/2003 Nottingham et al.
 D476,563 S * 7/2003 Brozell D9/435
 D477,224 S * 7/2003 Hussain D9/443
 D481,314 S 10/2003 Noonan
 D526,840 S 8/2006 Carlson
 D527,261 S 8/2006 Hornke
 D527,262 S 8/2006 Cooney
 D562,462 S * 2/2008 Muir D24/224
 D600,120 S 9/2009 Kawamura
 D606,633 S 12/2009 Price
 D607,326 S 1/2010 Branson et al.
 D621,705 S 8/2010 Breckan
 D621,706 S 8/2010 Breckan
 D621,707 S 8/2010 Breckan
 D632,944 S 2/2011 Kang
 D642,919 S 8/2011 Taylor
 D642,920 S 8/2011 Taylor
 D643,288 S 8/2011 Taylor
 D668,544 S 10/2012 Stephan et al.
 D677,161 S 3/2013 Titherington
 8,695,820 B2 4/2014 Rabie
 D715,902 S * 10/2014 Malaker D23/262
 D717,207 S * 11/2014 Fondas D11/222
 D718,903 S 12/2014 Parker
 D758,852 S 6/2016 Schuette
 D784,132 S * 4/2017 Johnson D9/434
 2003/0132244 A1 7/2003 Birkmayer et al.
 2004/0200797 A1 * 10/2004 Hicks B65D 41/0421
 215/305
 2006/0261063 A1 * 11/2006 Dyehouse B65D 21/0204
 220/23.4
 2015/0336716 A1 11/2015 Gehringer et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6