



US00D819464S

(12) **United States Design Patent** (10) **Patent No.:** **US D819,464 S**
Diehl (45) **Date of Patent:** **** Jun. 5, 2018**

(54) **BOLT SORTER**

(71) Applicant: **Mark E. Diehl**, Sidney, OH (US)

(72) Inventor: **Mark E. Diehl**, Sidney, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/572,237**

(22) Filed: **Jul. 26, 2016**

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/64**

(58) **Field of Classification Search**

USPC D10/64, 65
CPC ... G01B 3/34; G01B 3/36; G01B 3/38; G01B 3/40; G01B 3/42; G01B 3/44; G01B 3/46; G01B 3/48; G01B 3/50; G01B 3/52; G01B 3/56; G01B 3/563; G01B 3/566

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,830,380	A	4/1958	Rumonoski	
3,209,463	A *	10/1965	Schorr	G01B 3/40 33/199 R
3,218,724	A	11/1965	Schaumberger	
3,406,461	A	10/1968	Gunderson	
3,858,325	A	1/1975	Goerler	
D243,389	S *	2/1977	Lyon	D10/64
4,852,866	A	8/1989	Kristoff	
6,047,606	A	4/2000	Sibole	
D454,509	S	3/2002	Chiang	
D475,640	S *	6/2003	Mangelsen	D10/64
7,877,882	B2	2/2011	Burr	
2010/0251556	A1	10/2010	Burr	
2013/0067753	A1	3/2013	Diehl	

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Thomas E. Lees, LLC


(57) **CLAIM**

The ornamental design for a bolt sorter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bolt sorter looking towards a top side;
 FIG. 2 is a perspective view of the bolt sorter of FIG. 1 looking towards a bottom side;
 FIG. 3 is a left side elevational view of the bolt sorter of FIG. 1;
 FIG. 4 is a right side elevational view of the bolt sorter of FIG. 1;
 FIG. 5 is a rear side elevational view of the bolt sorter of FIG. 1;
 FIG. 6 is a front side elevational view of the bolt sorter of FIG. 1;
 FIG. 7 is a top plan view of the bolt sorter of FIG. 1;
 FIG. 8 is a bottom plan view of the bolt sorter of FIG. 1;
 FIG. 9 is a perspective view of a bolt sorter looking towards a top side;
 FIG. 10 is a perspective view of the bolt sorter of FIG. 9 looking towards a bottom side;
 FIG. 11 is a left side elevational view of the bolt sorter of FIG. 9;
 FIG. 12 is a right side elevational view of the bolt sorter of FIG. 9;
 FIG. 13 is a rear side elevational view of the bolt sorter of FIG. 9;
 FIG. 14 is a front side elevational view of the bolt sorter of FIG. 9;
 FIG. 15 is a top plan view of the bolt sorter of FIG. 9; and,
 FIG. 16 is a bottom plan view of the bolt sorter of FIG. 9.
 The broken lines represent portions of the structure that forms no part of the claim.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16