



US00D819468S

(12) **United States Design Patent**
Komoni et al.

(10) **Patent No.:** **US D819,468 S**
(45) **Date of Patent:** **** Jun. 5, 2018**

(54) **SENSING AND TRACKING DEVICE**

(71) Applicant: **Tive, Inc.**, Worcester, MA (US)

(72) Inventors: **Krenar Komoni**, Worcester, MA (US);
Walker S. Harden, Palo Alto, CA
(US); **Robert A. Vice**, Quincy, MA
(US)

(73) Assignee: **Tive, Inc.**, Worcester, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/600,717**

(22) Filed: **Apr. 14, 2017**

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70**

(58) **Field of Classification Search**

USPC D10/65, 70

CPC A41D 1/02; A44C 5/0015; A44C 5/02;

A44C 5/14; A61B 19/44; A61B

2019/446; A61B 71/00; A61B 5/02416;

A61B 5/1118; A61B 2/721; A61B 5/002;

A61B 5/112; A61B 5/1122; A61B 5/746;

A61B 5/6823; A61B 5/72; A61B 5/7445;

A61B 5/0022; A61B 5/14532; A63B

71/06; A63B 26/00; A63B 24/0075; A63B

2071/0663; A63B 71/0686; A63B

24/0062; A63B 24/0084; A63B

2024/0068; A63B 2024/0078; A63B

2024/0056; A63B 2071/0625; A63B

2071/003; A63B 2071/063; A63B

2071/065; A63B 2071/068; A63B

2071/0675; A63B 2220/40; A63B

2220/803; A63B 2220/12; A63B 2220/20;

A63B 2220/22; A63B 2220/30; A63B

2225/50; A63B 2225/02; A63B 2225/06;

A63B 2230/75; A63B 2024/0065; A63B

2024/0081; A63B 2220/51; A63B
2220/62; A63B 2220/836; G09F 3/005;
G06F 1/163; G06F 3/038; G06F 3/03547;
G04G 17/00; G04G 17/08; G04G 17/04;
G04G 21/02; G04G 21/00; G04G 21/08;
G04B 37/1486; G06Q 10/00; G06Q
50/00; G09B 9/00; G09B 19/00; G04F
10/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D563,245 S * 3/2008 Deboves D10/65
D582,806 S * 12/2008 Schmid-Schweiger D10/65
D773,456 S * 12/2016 Mitchell D10/65

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Foley Hoag LLP; Rajesh Vallabh

(57) **CLAIM**

The ornamental design for a sensing and tracking device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sensing and tracking device showing our new design;

FIG. 2 is a top view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a back view thereof;

FIG. 6 left side view thereof; and,

FIG. 7 is a bottom view thereof.

The portions shown in broken lines depict environmental subject matter only and do not form any part of the design.

1 Claim, 3 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7

