



US00D819561S

(12) **United States Design Patent** (10) **Patent No.:** **US D819,561 S**
Wang et al. (45) **Date of Patent:** **** Jun. 5, 2018**

(54) **BATTERY**

D756,915 S * 5/2016 Yang D13/108
D766,821 S * 9/2016 Chan D13/107
D780,116 S * 2/2017 Bing D13/107

(Continued)

(71) Applicant: **SZ DJI Technology Co., Ltd.**,
Shenzhen (CN)

(72) Inventors: **Zhen Wang**, Shenzhen (CN); **Yun Zhao**, Shenzhen (CN); **Shaojie Chen**,
Shenzhen (CN)

FOREIGN PATENT DOCUMENTS

CN 3106518 3/1999
CN 3141346 3/2000
CN 3151149 6/2000

(Continued)

(73) Assignee: **SZ DJI Technology Co., Ltd.**,
Shenzhen (CN)

OTHER PUBLICATIONS

(**) Term: **15 Years**

DJI TB50 Intelligent Flight Battery, DJI, first available on amazon.com Nov. 18, 2016, retrieved on Oct. 15, 2017, retrieved from the Internet URL: https://www.amazon.com/DJI-Intelligent-Flight-Battery-Inspire/dp/B01N9C5ZSC/ref=sr_1_1?ie=UTF8&qid=1508101865&sr=8-1&keywords=DJI=TB50=Intelligent=Flight=Battery.*

(21) Appl. No.: **29/579,394**

(22) Filed: **Sep. 29, 2016**

(51) **LOC (11) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**
USPC D13/102-106, 110, 118-119, 184
CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 2/02; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M
2/0212; H01M 2/1061; H01M 2/1022;
H01M 2/1055; H01M 2/1066; H01M
2/105; H01M 2/204; H01M 10/4257;
H01M 10/0436; H01M 10/48

See application file for complete search history.

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Alison M Ofstun

(74) *Attorney, Agent, or Firm* — Sterne, Kessler,
Goldstein & Fox P.L.L.C.

(57) **CLAIM**

The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a battery showing the claimed design;
FIG. 2 is a bottom front perspective view thereof;
FIG. 3 is a bottom rear perspective view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a front view thereof; and,
FIG. 9 is a rear view thereof.


The broken lines in the figures show portions of the battery that form no part of the claimed design.

1 Claim, 7 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D383,725 S 9/1997 Settsu
D648,270 S * 11/2011 Jiang D13/103
D678,187 S * 3/2013 Huang D13/103
D693,297 S * 11/2013 Inskeep D13/103
D704,135 S * 5/2014 Stewart D13/108
D713,786 S * 9/2014 Wen D13/103
D738,822 S * 9/2015 Stewart D13/108
D740,749 S * 10/2015 Stewart D13/108
D743,886 S * 11/2015 Nomi D13/108



(56)

References Cited

U.S. PATENT DOCUMENTS

D796,432 S * 9/2017 Liu D13/107
2014/0335919 A1* 11/2014 Stewart H02J 7/0042
455/573

FOREIGN PATENT DOCUMENTS

CN	3262561	11/2002
CN	3590841	12/2006
CN	300935895	6/2009
CN	302143027 S	10/2012
CN	302671698 S	12/2013
CN	303622732 S	3/2016
JP	D1200696 S	3/2004
JP	D1230436 S	2/2005
JP	D1402061 S	11/2010
JP	D1440989 S	5/2012

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9