



US00D819894S

(12) **United States Design Patent** (10) **Patent No.:** **US D819,894 S**  
**Sung** (45) **Date of Patent:** **\*\* Jun. 5, 2018**

(54) **FIRE EXTINGUISHER**  
(71) Applicant: **SPL DESIGN CO., LTD.**, Taichung (TW)  
(72) Inventor: **Pei-Lun Sung**, Taichung (TW)  
(73) Assignee: **SPL DESIGN CO., LTD.**, Taichung (TW)

6,279,434 B1 \* 8/2001 Brown ..... A63C 17/0006  
81/177.4  
D580,597 S \* 11/2008 Mascotte ..... D28/76  
D619,440 S \* 7/2010 Schoening ..... D8/71  
D621,261 S \* 8/2010 DeMarco ..... D9/504  
D626,005 S \* 10/2010 Duquet ..... D9/686  
9,108,765 B1 \* 8/2015 Danner ..... B67D 7/84  
D738,162 S \* 9/2015 Watters ..... D7/397

(\*\*) Term: **15 Years**

JP D1177797 S 6/2003  
JP 3101373 U 6/2004

(21) Appl. No.: **29/569,901**

OTHER PUBLICATIONS

(22) Filed: **Jul. 1, 2016**

The Office Action issued to Japanese Counterpart Application No. 2016012135 by the Japan Patent Office on Feb. 22, 2017 along with an English translation.

(30) **Foreign Application Priority Data**

Jan. 6, 2016 (TW) ..... 105300032

\* cited by examiner

(51) **LOC (11) Cl.** ..... **29-01**

*Primary Examiner* — Randall H Gholson

(52) **U.S. Cl.**  
USPC ..... **D29/126**

(74) *Attorney, Agent, or Firm* — LeClairRyan

(58) **Field of Classification Search**  
USPC ..... D23/355-369, 213, 214, 223, 224, 225, D23/231; D28/5, 6; 261/DIG. 17, 261/DIG. 42, DIG. 65, DIG. 88, DIG. 89, 261/DIG. 47, DIG. 55, DIG. 70; 392/356, 392/390, 392, 394, 395; 239/34, 44, 53, 239/55, 56, 326, 60, 308, 589; D9/687, D9/600, 695; D7/591; D29/125, 126, D29/129, 130; 169/7, 89; 222/210, 324  
CPC .. A62C 2/00; A62C 8/00; A62C 13/76; A62C 13/64

(57) **CLAIM**

The ornamental design for a fire extinguisher, as shown and described.

See application file for complete search history.

**DESCRIPTION**


FIG. 1 is a perspective view of a fire extinguisher showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof; and,  
FIG. 8 is an exploded perspective view thereof.  
The broken lines are for illustrating portions of the article which form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,526,960 A \* 6/1996 Breidenbach ..... A45D 34/02  
222/183  
5,586,694 A \* 12/1996 Breidenbach ..... A45D 34/02  
222/183

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7




FIG.8