



US00D819938S

(12) **United States Design Patent**
Nagel

(10) **Patent No.:** **US D819,938 S**

(45) **Date of Patent:** **** *Jun. 12, 2018**

(54) **OVERSHOE**

(71) Applicant: **SAFETY2SHOES ApS**, Aalborg (DK)

(72) Inventor: **Andrew Nagel**, Kolding (DK)

(73) Assignee: **SAFETY2SHOES APS**, Aalborg (DK)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/578,582**

(22) Filed: **Sep. 22, 2016**

(30) **Foreign Application Priority Data**

Mar. 23, 2016 (EM) 003038710

(51) **LOC (11) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/909**

(58) **Field of Classification Search**
USPC D2/896, 900, 902, 907, 909, 913, 914,
D2/919, 946, 969, 980

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,628,438 A 2/1953 Luchs
2,798,311 A * 7/1957 Scholl A43B 19/00
36/10

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2566810 5/2007
KR 10-0919969 10/2009

(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/EP2017/075349 dated Dec. 22, 2017 (2 pages).

Primary Examiner — Holly H Baynham

Assistant Examiner — Rashida C. Walshon

(74) *Attorney, Agent, or Firm* — McDermott Will & Emery LLP

(57) **CLAIM**

I claim the ornamental design for an overshoe, as shown and described.

DESCRIPTION

FIG. 1 is a top view of an overshoe according to a new design.

FIG. 2 is a right side view of the overshoe shown in FIG. 1.

FIG. 3 is a bottom view of the overshoe shown in FIG. 1.

FIG. 4 is a perspective view of the overshoe shown in FIG. 1.

FIG. 5 is a top view of a second embodiment of an overshoe according to a new design.

FIG. 6 is a right side view of the overshoe shown in FIG. 5.

FIG. 7 is a bottom view of the overshoe shown in FIG. 5.

FIG. 8 is a perspective view of the overshoe shown in FIG. 5.

FIG. 9 is a top view of a third embodiment of an overshoe according to a new design.

FIG. 10 is a right side view of the overshoe shown in FIG. 9.

FIG. 11 is a bottom view of the overshoe shown in FIG. 9.

FIG. 12 is a perspective view of the overshoe shown in FIG. 9.

FIG. 13 is a top view of a fourth embodiment of an overshoe according to a new design.

FIG. 14 is a right side view of the overshoe shown in FIG. 13.

FIG. 15 is a bottom view of the overshoe shown in FIG. 13.

FIG. 16 is a perspective view of the overshoe shown in FIG. 13.

FIG. 17 is a top view of a fifth embodiment of an overshoe according to a new design.

FIG. 18 is a right side view of the overshoe shown in FIG. 17.

FIG. 19 is a bottom view of the overshoe shown in FIG. 17.

(Continued)





FIG. 20 is a perspective view of the overshoe shown in FIG. 17.
 FIG. 21 is a top view of a sixth embodiment of an overshoe according to a new design.
 FIG. 22 is a right side view of the overshoe shown in FIG. 21.
 FIG. 23 is a bottom view of the overshoe shown in FIG. 21.
 FIG. 24 is a perspective view of the overshoe shown in FIG. 21.
 FIG. 25 is a top view of a seventh embodiment of an overshoe according to a new design.
 FIG. 26 is a right side view of the overshoe shown in FIG. 25.
 FIG. 27 is a bottom view of the overshoe shown in FIG. 25.
 FIG. 28 is a perspective view of the overshoe shown in FIG. 25.
 FIG. 29 is a top view of an eighth embodiment of an overshoe according to a new design.
 FIG. 30 is a right side view of the overshoe shown in FIG. 29.
 FIG. 31 is a bottom view of the overshoe shown in FIG. 29; and,
 FIG. 32 is a perspective view of the overshoe shown in FIG. 29.
 Features shown in broken lines in the drawings are not part of the claim.

1 Claim, 32 Drawing Sheets

(58) **Field of Classification Search**

CPC A43B 1/10; A43B 5/18; A43B 1/00; A43B 5/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,995,838 A * 8/1961 Servin A43B 3/101
 36/9 R
 3,120,711 A * 2/1964 Scholl A41B 11/00
 36/9 R

3,273,185 A * 9/1966 Myron A43B 1/10
 12/142 R
 3,274,709 A * 9/1966 Lipinski A43B 23/28
 2/239
 3,283,423 A * 11/1966 Schovee A43B 3/16
 36/138
 3,486,248 A * 12/1969 Iversen A43B 1/10
 36/7.3
 3,559,309 A * 2/1971 Taylor A43B 5/185
 36/7.3
 3,718,993 A * 3/1973 Schovee A43B 3/16
 36/7.3
 4,103,439 A 8/1978 Abramson
 4,434,565 A * 3/1984 Haley A43B 3/16
 36/59 R
 D273,628 S * 5/1984 Huberman D2/896
 4,779,360 A 10/1988 Bible
 D339,905 S * 10/1993 Bensley D2/913
 5,617,585 A 4/1997 Fons et al.
 D385,092 S * 10/1997 Holden D2/909
 6,023,856 A 2/2000 Brunson et al.
 6,138,281 A 10/2000 Chiaruttini
 D436,245 S * 1/2001 Krussman D2/909
 6,584,704 B2 * 7/2003 March A43B 3/163
 36/7.1 R
 7,012,525 B1 3/2006 Ghioto
 D519,721 S * 5/2006 Castillo D2/909
 D727,000 S * 4/2015 Malkin D2/909
 D785,913 S * 5/2017 Lubart D2/909
 2005/0144703 A1 7/2005 Hilbert
 2006/0156576 A1 7/2006 Sloan
 2007/0044343 A1 3/2007 Harris
 2011/0252581 A1 10/2011 Teichert et al.
 2013/0047460 A1 2/2013 Turner
 2013/0269211 A1 10/2013 Deans et al.

FOREIGN PATENT DOCUMENTS

WO 2005/034799 4/2005
 WO 2013/003434 1/2013

* cited by examiner




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28



FIG. 29




FIG. 30




FIG. 31




FIG. 32