



US00D819991S

(12) **United States Design Patent**  
**Ott et al.**

(10) **Patent No.:** **US D819,991 S**  
(45) **Date of Patent:** **\*\* Jun. 12, 2018**

(54) **VEHICLE SEAT**

(71) Applicant: **GRAMMER AG**, Amberg (DE)

(72) Inventors: **Richard Ott**, Kuemmersbruck (DE);  
**Raymond Carter**, Marina del Rey, CA (US)

(73) Assignee: **GRAMMER AG**, Amberg (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/553,041**

(22) Filed: **Jan. 28, 2016**

(30) **Foreign Application Priority Data**

Aug. 6, 2015 (EP) ..... 002750166-0001  
Aug. 6, 2015 (EP) ..... 002750166-0002

(51) **LOC (11) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/356**

(58) **Field of Classification Search**  
USPC ..... D6/334-336, 356, 367, 368, 374, 375,  
D6/379, 716, 716.1, 716.2, 716.3, 716.4  
CPC .. A47C 7/022; A47C 7/18; A47C 7/40; B60N  
2/22; B60N 2/4492; B60N 2/4882  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D251,997 S \* 6/1979 Pelly ..... D6/356  
D332,181 S \* 1/1993 Sacco ..... D6/356  
D362,126 S \* 9/1995 Carter ..... D6/356  
D385,709 S \* 11/1997 Gryp ..... D6/356  
D428,719 S \* 8/2000 Fick ..... D6/356  
D453,078 S \* 1/2002 Yamazaki ..... D6/356

D502,610 S \* 3/2005 Murphy ..... D6/356  
D504,784 S \* 5/2005 Hahn ..... D6/356  
D547,077 S \* 7/2007 Cantrill ..... D6/356  
D663,962 S \* 7/2012 Muelder ..... D6/356

(Continued)

*Primary Examiner* — Mimosa De

(74) *Attorney, Agent, or Firm* — Von Rohrscheidt Patents



(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

**DESCRIPTION**

FIG. 1 illustrates an enlarged front right slanted side view of an embodiment of the vehicle seat showing the new design. FIG. 2 illustrates front left view of the vehicle seat in FIG. 1. FIG. 3 illustrates a top view of the vehicle seat in FIG. 1. FIG. 4 illustrates a left side view of the vehicle seat in FIG. 1. FIG. 5 illustrates a right side of the vehicle seat in FIG. 1. FIG. 6 illustrates a bottom view of the vehicle seat in FIG. 1. FIG. 7 illustrates a rear view of the vehicle seat in FIG. 1. FIG. 8 illustrates an enlarged left right slanted side view of a second embodiment of the vehicle seat showing the new design. FIG. 9 illustrates a front view of the vehicle seat in FIG. 8. FIG. 10 illustrates a top view of the vehicle seat in FIG. 8. FIG. 11 illustrates a left side view of the vehicle seat in FIG. 8. FIG. 12 illustrates a right side of the vehicle seat in FIG. 8. FIG. 13 illustrates a bottom view of the vehicle seat in FIG. 8; and, FIG. 14 illustrates a rear view of the vehicle seat in FIG. 8.

**1 Claim, 14 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D711,125 S \* 8/2014 Nishida ..... D6/356  
D773,840 S \* 12/2016 Tse ..... D6/356

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14